

American Journal of Obstetrics and Gynecology

Editors

JOHN I. BREWER, *Editor in Chief*

Sandra Fernandez, *Senior Editorial Assistant*

FREDERICK P. ZUSPAN, *Editor*

Meta M. Peterson, *Editorial Assistant*

E. J. QUILLIGAN, *Editor*

Rosalyn Vu, *Editorial Assistant*

ALBERT B. GERBIE, *Associate Editor*

Advisory committee on policy

John M. Bissonnette

William Droegemueller

T. Terry Hayashi

John C. Hobbins

Hobart C. Hortman

Walter S. Keifer

Edgar L. Makowski

James H. Maxwell

James A. Merrill

Patrick T. Mohide

Board of corresponding editors

Oscar Aguero, *Caracas*

Frederick Kubli, *Heidelberg*

Pierre O. Hubinont, *Brussels*

Malcolm Symonds, *Nottingham*

Ichiro Taki, *Fukuoka*

Publisher

THE C. V. MOSBY COMPANY, 11830 Westline Industrial Drive,
St. Louis, Missouri 63146

Kay Goehler, *Senior Manuscript Editor*

Volume 152

May-August, 1985

The C. V. Mosby Company

St. Louis

1985

*in addition to those listed on the front cover
the Journal is the official publication
of the following societies*

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNCOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS
AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY
THE MINNESOTA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 152

Copyright © 1985 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 152

Author index*

- A**
- Abdella TN, 32
 Abdulhay G, 418
 Adland-Davenport P, 630
 Akhter HH, 619
 Akhter JE, 655
 Aldahl D, 984
 Alexander MS, 1067
 Allen R, 413
 Almeida OD Jr, 607 (C)
 Anderson C, 303
 Anderson DJ, 911 (CI)
 Anderson GD, 32, 184
 Andresen BD, 1067
 Arndt BC, 674
 Arroyo P, 17
- B**
- Bahnson RR, 290
 Bailey R, 69
 Balestra JC, 1099
 Ballon SC, 1107 (C)
 Bamford OS, 905
 Bar-Ziv J, 722 (C)
 Barad D, 572
 Bardy A, 499
 Barlow JJ, 310
 Barrett JM, 608 (C)
 Barthel PJ, 953
 Barton JJ, 238
 Bast RC Jr, 911 (CI), 1003
 Bastide A, 1034
 Battaglia FC, 709
 Baxi LV, 43
 Beazley JM, 163
 Belton SR, 914 (C)
 Benacerraf BR, 359 (C), 684, 1039
 Bendon RW, 1021
 Benedetti TJ, 330
 Benedetto C, 578
 Benghazi DSS, 725 (C)
 Berek JS, 1003
 Berger GS, 69
 Berkowitz GS, 47
 Berkowitz RL, 47
 Berkowitz RS, 97, 1003, 1016
 Berman ML, 842
 Bernstein MR, 1016
 Bertini E, 578
 Bhan AK, 97
- B**
- Bigelow B, 688
 Blanco JD, 89, 278, 650
 Blaustein A, 570
 Blessing JA, 418
 Blythe JG, 192
 Boeckx W, 1054
 Borrisud M, 1067
 Bourgeois J, 113 (C)
 Bowes WA Jr, 576
 Boylan P, 524
 Bracero LA, 43
 Branolte JH, 953
 Breckle R, 23, 847
 Brien JF, 583
 Bromham DR, 1038
 Brooks C, 635
 Brooks JA, 1038
 Brooks TF, 32
 Brosens I, 1054
 Brown JM, 287
 Brunham RC, 280
 Bruun D, 278
 Bump RC, 38
 Burton BK, 540
 Buttino L Jr, 606 (C)
 Byrick RJ, 609 (C)
- C**
- Callan NA, 833
 Callen PW, 63
 Calvert IS, 103
 Cameron AD, 113 (C)
 Camiel MR, 879
 Campbell WA, 510, 883
 Campeau JD, 1073
 Campos GR, 91
 Camussi G, 578
 Carandang G, 99
 Caritis SN, 1026
 Caron FJM, 828
 Cassells S, 1016
 Castillo RA, 1047 (CD)
 Catanzarite V, 914 (C)
 Cates W Jr, 722 (C)
 Cavanagh D, 817
 Cavanaugh RA, 169
 Cesario TC, 99
 Cetel NS, 485 (CD)
 Chalmers I, 524
 Chang AMZ, 359 (C)
 Cheng S, 635
- C**
- Chervenak FA, 47, 574
 Chetham DR, 569
 Chi I-c, 292
 Choo YC, 59
 Christenson D, 114 (C)
 Clapp JF III, 659
 Clark C, 517
 Clark EN, 540
 Clark SL, 374, 984, 1042
 Clarke DW, 583
 Cleary RE, 78
 Cohen L, 961
 Collaborative Group on Antenatal Steroid Therapy, 83
 Connolly ME, 510
 Conway DI, 610 (C)
 Cook CM, 155
 Copeland WE Jr, 38
 Coppa G, 688
 Coustan DR, 919 (C)
 Cramer DW, 116 (C), 1016
 Crane JP, 917 (C)
 Creasman WT, 418
 Creasy R, 691
 Crum CP, 275
 Cunningham MD, 627
 Cupryn JP, 609 (C)
 Curet LB, 83
 Curtis EM, 287
 Cutter GR, 980
- D**
- DalCompo S, 822
 Darley PE, 1092, 1099
 Davidson EC, 467
 Davies BR, 17, 914 (C)
 Davis C Jr, 1010
 Dawes GS, 905
 Dean H, 861
 Debanne S, 176
 Depp R, 822
 DeStefano F, 835
 Dettler J, 604 (C)
 Devoe LD, 1047 (CD)
 DeVore GR, 115 (C), 543, 1042, 1044
 Diamond EL, 835
 Diaz KC, 278
 Dicke JM, 887
 Dierker LJ Jr, 82, 176
 Dillard RG, 540
- D**
- DiSaia PJ, 418, 842
 diZerega GS, 42, 78, 1073
 Dobin AJ, 565
 Donnelly WH Jr, 1000
 Dorchester W, 7
 Driscoll JW, 668
 Driscoll SG, 97, 1016
 Duff P, 80
 Dundore W, 881
 Dyson DC, 297
- E**
- Edelstone DI, 351
 Edvall H, 591
 Egley CC, 576
 Ehrenkranz RA, 47
 Ehrlich CE, 661
 Ekelund L, 1063
 Elfont EA, 261
 Elias S, 204
 Elliott JA, 85
 Emrich LJ, 310
 Enbom JA, 424
 Endacott J, 1079, 1085
 Enhorning G, 1063
 Epstein H, 689
 Epstein MF, 668
 Ervin MG, 1107 (C)
 Eschenbach DA, 280, 635
 Evans AT, 99
 Evans S, 601 (CI)
- F**
- Faratian B, 362 (C)
 Farb HF, 51
 Farber RS, 572
 Farnham JG, 593
 Fay RA, 1038
 Fazekas ATA, 1034
 Feinman MA, 308
 Felice ME, 670
 Ferguson JE II, 297, 914 (C)
 Figge DC, 387
 Filly RA, 63
 Filshie GM, 362 (C)
 Flamm M, 842
 Fleischer A, 916 (C)
 Fleury F, 968
 Flock M, 252, 619

*May 1, 1-138; May 15, 139-246; June 1, 247-368; June 15, 369-494; July 1, 495-612; July 15, part 1, 613-728; part 2, 729-798; August 1, part 1, 799-920; part 2, 921-970; August 15, 971-1134. Key: In this index, (C) = correspondence, (CD) = current development, (CI) = current investigation, and (CO) = clinical opinion.

- Floyd R, 968
 Forssman L, 956, 959
 Fox HE, 572
 Fox LP, 379
 Fox RE, 1045
 Franceschi S, 866
 Frederick JJ, 1073
 Frederick JL, 1073
 Freeman RK, 7
 Friedman EA, 604 (C), 605 (C), 606 (C)
 Friedrich EG Jr, 247 (CO)
 Frigoletto FD Jr, 684, 1039
 Fuenfer MM, 510
 Fujiwara A, 896
 Fukuda Y, 896
 Fukushima T, 467
 Fuller TA, 261
 Furuya H, 344
- G
- Gabbe SG, 613 (CO), 1031
 Gaffey TA, 230
 Gaffney L, 103
 Galbraith RS, 256
 Gallo L, 275
 Garbaciak JA Jr, 238
 Gatter M, 359 (C)
 Gebiski VJ, 1038
 Gehrking WC, 847
 van Geijn HP, 828
 Gerbie AB, 204, 822
 Geronimus A, 517
 Ghosh A, 361 (C)
 Gianopoulos JC, 905
 Gibbs RS, 89, 278, 650
 Giles WB, 155
 Gill PJ, 271
 Ginsburgh F, 359 (C)
 Golbus MS, 63, 607 (C)
 Goldblum LJ, 351
 Golde SH, 112 (C)
 Goldenberg RL, 980
 Goldrath MH, 220
 Goldstein DP, 97, 1016
 Goldzieher JW, 729
 Good WR, 1092, 1099
 Goodlin RC, 462, 605 (C)
 Goormans E, 953
 Gortmaker S, 517
 Grannum PA, 1 (CO)
 Grant A, 524
 Greene M, 599 (CI)
 Greene VP, 80
 Greenspoon J, 984
 Greer BE, 387
 Griffin RL, 828
 Griffiths CT, 1003
 Grimes DA, 252, 722 (C)
 Gross TL, 213
 Grove JA, 444
 Guess E, 965
 Guilloteau C, 1034
 Gustavii B, 591
 Gutliph J, 576
- H
- Haas S, 601 (CI)
 Hacker NF, 1003
 Hallatt JG, 444
 Haller I, 939
 Hamod KA, 833
 Hanley LS, 51
 Hanson FW, 436
 Harris EA, 230
 Hart MV, 91
 Hartge P, 116 (C)
 Hatjis CG, 315
 Hauck L, 303
 Hayashida D, 680
 Hayes MF, 198
 Helmkamp BF, 677
 Henry DA, 857
 Heritage CK, 627
 Heyl P, 599 (CI)
 Hibbard LT, 456
 Hiilesmaa VK, 499
 Hill LM, 23, 847
 Hill WC, 271
 Hilsenbeck CE, 565
 Hilton JF, 230
 Hjemdahl P, 554
 Hoa N, 1073
 Hobbins JC, 1 (CO), 47, 574, 1107 (C)
 Hoehn GJ, 510
 Hofmeyr GJ, 905
 Hofschire PJ, 462
 Hollingsworth DR, 670
 Holmes KK, 280
 Holroyde J, 603 (C)
 Horenstein J, 374, 984
 Horowitz E, 623
 Howard T, 78
 Howell SB, 474
 Huddleston JJ, 145
 Huetz CM, 803
 Hug G, 1021
 Hughes D, 968
 Hull ME, 198
 Hunter DJS, 918 (C)
 Hurwitz A, 721 (C)
 Husami N, 308
- I
- Ihara T, 896
 Indman PD, 674
 Inwood MJ, 85
 Iosif CS, 591
 Isemura M, 715
 Izquierdo A, 668
- J
- Jacobs MM, 680
 Jalanko H, 561
 James MJ, 901
 Jensen LP, 565
 Johnson R, 709
 Jones RO, 709
 Jones WR, 901
- Jovanovic R, 971 (CO)
 Jung T, 1003
- K
- Kabawat SE, 97
 Kaibara M, 719
 Kalter H, 603 (C)
 Kaplan RF, 608 (C)
 Karchmar EJ, 256
 ten Kate-Booij MJ, 721 (C)
 Kates R, 330
 Katz M, 271, 691
 Kazzi GM, 213
 Kazzi SNJ, 213
 Keith L, 69, 204
 Kellner KR, 608 (C), 1000
 Kells DN, 608 (C)
 Kelly AC, 308
 Kennedy A, 609 (C)
 Key TC, 404
 Killen HL, 256
 Kimmel J, 677
 King CR, 689
 Kirz DS, 7
 Kitai H, 705, 889
 Kitay DZ, 607 (C)
 Kitchens CS, 995
 Kitzmiller JL, 271
 Kiviat N, 280
 Knapp RC, 911 (CI), 1003
 Knauf S, 911 (CI)
 Knox GE, 51
 Kobayashi T, 719
 Kofinas AD, 56
 Kofinas GD, 56
 Kolho K-L, 561
 Koninckx P, 1054
 Kopta ML, 917 (C)
 Koski JF, 980
 von Koskull H, 561
 Kreiss C, 47
 Kucera PR, 842
 Kuo C-C, 280
 Kurosawa K, 715
- L
- La Vecchia C, 866
 Labarrere C, 360 (C)
 Laitinen R, 561
 Lamas C, 881
 Landers DV, 808
 Lane D, 995
 Leake RD, 1107 (C)
 Lebherz T, 965
 Lee BT, 363 (C)
 Lele SB, 310
 Lemay A, 1034
 Leppert PC, 623
 Leshner LP, 116 (C)
 Levenson I, 995
 Lewis JA, 184
 Lichtenstein A, 1003
 Lin LS, 1026
 Linde B, 554
- Linn P, 176
 Lipscomb KA, 89, 278, 650
 Loendersloot EW, 953
 Löfberg L, 591
 Long TJ, 670
 Loong EPL, 359 (C)
 Low JA, 256
 Luca WE, 474
 Lunell N-O, 554
 Lyman GH, 817
- M
- Ma HK, 59
 McCormack WM, 635
 McCown RB, 114 (C)
 MacDonald D, 524
 McGowan L, 116 (C)
 McGregor JA, 722 (C)
 McKenzie L, 630, 995
 McKenzie MW, 630
 McKinney ME, 462
 McLaughlin MK, 593
 MacLennan AH, 691
 Maggio M, 833
 Magyar DM, 198
 Maheux R, 1034
 Mahoney BS, 63
 Mahoney MJ, 1 (CO), 574
 Main DM, 1031
 Main EK, 1031
 Mäkilä U-M, 318 (CD)
 Malkasian GD, 230
 Manabe Y, 696
 Markman M, 474
 Marsden DE, 817
 Martin AJ, 362 (C)
 Martin AO, 204
 Martin CB Jr, 1058
 Martini CA, 684
 Marumoto Y, 719
 Marx CM, 668, 1045
 Massobrio M, 578
 Maudsley RF, 989
 Mehta A, 861
 Meizner I, 722 (C)
 Menczer J, 885
 Meschia G, 709
 Metcalfe J, 91
 Method M, 69
 Moghissi KS, 198
 Mohide PT, 989
 Monif GRG, 935, 1000
 Montag TW, 374
 Montz FJ, 42
 Moore TR, 404
 Mori T, 696
 Morrison I, 975
 Morrison JC, 83
 Morton MJ, 91
 Mostoufi-Zadeh M, 97
 Micha JP, 842
 Miettinen A, 280
 Miller S, 238
 Milne JK, 85
 Milner R, 918 (C)
 Milsom I, 956, 959

Miodovnik M, 603 (C)
Mitao M, 275
Mudge TJ, 901
Muir DW, 256
Mulder JI, 430
Munsick RA, 799 (CO)
Murray M-A, 668
Murray RD, 709

N

Namerow PB, 623
Navot D, 686
Nelson GH, 870
Nelson KG, 980
Nelson SJ, 870
Nicolaides KH, 341
Nisell H, 554
Nochimson DJ, 510, 883
Nomura K, 896
Norris CW, 1108 (C)
Notelovitz M, 630, 995

O

O'Brien PC, 847
O'Brien PMS, 362 (C)
Obrist R, 1003
Oelsner G, 1054
Ohama K, 896
Ohel G, 686
Ohm-Smith M, 808
Okamoto E, 896
Okamura K, 360 (C)
Okuyama T, 344
Olsen J, 975
O'Neal J-P, 574
Ono T, 1073
Orr JW, 145
Ory HW, 803
O'Shaughnessy R, 1067
O'Sullivan MJ, 565

P

Paavonen J, 280
Padwick ML, 1079, 1085
Pampallona S, 866
Parazzini F, 866
Park T-K, 252
Parker L, 1003
Parkes MJ, 905
Pastorek JG II, 607 (C)
Patel V, 1010
Pater EA, 256
Patrick J, 583
Paul MS, 91
Paul RH, 374
Pearson JW, 606 (C)
Pendergast JF, 630
Perlman JA, 835
Peterson HB, 803, 835
Peticca BB, 351
Phelan JP, 374, 984
Phillippe M, 599 (CI), 601 (CI)
Pine L, 287

Pippitt C, 315
Pittaway DE, 299
Piura B, 363 (C)
Place VA, 1092, 1099
Platt LD, 543, 1042, 1044
Podratz KC, 230
Porges RF, 642
Porreco RP, 917 (C)
Powers M, 1092, 1099
Prendiville WJ, 610
Preston DS, 1073
Pryse-Davies J, 1079

Q

Quaas L, 852
Quagliarello J, 570, 688
Quigley ME, 485 (CD)
Quilligan EJ, 99
Quinn P, 593

R

Rankin RN, 85
Rao AV, 83
Realini JP, 729
Redford DHA, 550
Reece A, 1 (CO)
Reed K, 303
Reid R, 261, 364 (C), 504
Reid RL, 485 (CD)
Reish RL, 299
Reisner LS, 404
Resnik R, 404
Reumann W, 275
Rey HR, 43
Reynolds J, 842
Richardson B, 583
Richardson DK, 613 (CO)
Richart RM, 275
Richter M, 238
Ridley CM, 916
Ritter W, 945
Robbie MO, 808
Roberts JM, 680
Roberts WS, 817
Robertson CL, 450
Rodeck CH, 341
Robertson WH, 948
Romansky S, 842
Romem Y, 112 (C)
Romero R, 1 (CO), 1107 (C)
Ropert JF, 485 (CD)
Rose JC, 315
Rosen MG, 176
Rosen SW, 103
Ross M, 599 (CI)
Ross MG, 1107 (C)
Rubin GL, 619, 803
Russell-Churchill GA, 462
Rust JA, 369

S

Sabbagha RE, 204, 822
Sadovsky E, 686
Sagawa N, 696

St. Clair PJ, 650
Samueloff A, 686
Samuels S, 436
Sandberg EC, 479
Sanders RC, 833
Sandmire HF, 169
Santulli R, 705, 889
Sarov B, 363 (C)
Sarov I, 363 (C)
Sato A, 715
Schenkel L, 1092, 1099
Schiffman MH, 116 (C)
Schneider EP, 572
Schulz KF, 252, 722 (C)
Schwartz JS, 613 (CO)
Scott JR, 316
Sehgal P, 599 (CI), 601 (CI)
Sever JL, 495 (CO)
Sharp GC, 655
Sheikh Z, 822
Shenker L, 303
Sheridan-Pereira M, 524
Sheriff DS, 112 (C)
Sherline DM, 1047 (CD)
Sherman AI, 220
Siassi B, 543
Sibai BM, 32, 184
Simpson JL, 204, 822
Singsen BH, 655
Skidmore AG, 857
Smirz LR, 661
Smith A, 857
Smith CB, 604 (C)
Smith JA, 604 (C)
Spark R, 303
Spence MR, 635
Spina C, 1003
Spinnato JA, 32, 184, 609 (C), 915 (C)
Spiritos NJ, 198
Sobel JD, 924
Sobol A, 517
Soderstrom RM, 395
Sokol RJ, 213
Soong S, 145
Soules M, 280
Stage AH, 916 (C)
Stamm WE, 280
Stanhope CR, 12
Stark AR, 1045
Stehman FB, 661
Stein J, 604 (C)
Stevens CE, 280
Strong SE, 1031
Stys SJ, 603 (C)
Surti U, 1107 (C)
Sutton GP, 661
Suzuki M, 715
Swain M, 315
Sweet R, 635, 808, 921
Symmonds RE, 12
Szulman AE, 1107 (C)

T

Tamimi HK, 387
Tamura RK, 822

Taslimi M, 32
Tatum RK, 145
Tavakoli FM, 56
Teasdale F, 25
Tawada T, 344
Teng NNH, 1107 (C)
Tennant FR, 436
Teramo K, 499
Tetta C, 578
Thiery M, 914 (C)
Thompson K, 176
Thompson SE, 635
Thornton J, 47
Trudinger BJ, 155
Turner GW, 883
Tympanidis K, 721 (C)

U

Ulbright TM, 661

V

Vander Kolk KJ, 139
Verhoeven H, 1054
Vierhout ME, 878
Villeg CA, 344
Vintzileos AM, 510, 883
Vogelzang RL, 290
Vuori E, 561

W

Wager GP, 51
Walker DK, 517
Walker JJ, 113 (C)
Wallach EE, 705, 889
van de Walle AFGM, 1058
Wallenburg HCS, 721 (C), 878
Walsh JA, 901
Walsh SW, 335
Ward SM, 883
Warenski JC, 341
Watkins DT, 450
Watson DL, 184
Woo JSK, 361 (C)
Weinbaum PJ, 613 (CO), 883
Weinstein MM, 655
Weintraub BD, 103
Welt SI, 363 (C)
Wendel EF, 290
Wentz AC, 299
Wertheimer I, 574
Whitehead MI, 1079, 1085
Whitfield CR, 550
Wiesenhaan PE, 953
Wilkins L, 292
Williams V, 330
Wingo PA, 803
Winkler B, 275
Wisniewski BJ, 817
Wolfson N, 965
Wong FWS, 359 (C)
Wong LC, 59
Wong LK, 1026

Woods RE, 462
Wright KH, 705, 889

Y

Yagel S, 721 (C)
Yamaguchi Y, 715

Yatscoff RW, 861
Yeast JD, 112 (C)
Yeh M-N, 43
Yen SSC, 485 (CD)
Yin C-S, 316

Ylikorkala O, 318 (CD)
Yoshimura Y, 889
Yoshinaga K, 715
Yosizawa Z, 715
Youcha S, 47

Z

Zahradnik HP, 852
Ziegheboim J, 1003
Zirkin RM, 261
Zorn EM, 436

Subject index*

A

Abdomen

Abdominal pregnancy: study of twenty-one consecutive cases (Hallatt and Grove), 444

Plasma dextran levels after abdominal instillation of 32% dextran 70: evidence for prolonged intraperitoneal retention (Cleary, Howard, and diZerega), 78

Abortion

Diabetes and spontaneous abortion (Kalter), 603 (Letter); Reply (Miodovnik, Holroyde, and Stys), 603

Preventing febrile complications of suction curettage abortion (Park et al.), 252

Prophylactic antibiotics unjustified for unselected abortion patients (McGregor), 722 (Letter); Reply (Grimes, Schulz, and Cates), 724

Safety of abortion and tubal sterilization performed separately versus concurrently (Akhter, Flock, and Rubin), 619

ACTH. See Adrenocorticotrophic hormone

Actinomyces

Actinomyces and intrauterine contraceptive device: aspects of fluorescent antibody stain (Pine, Curtis, and Brown), 287

Adnexa

Adnexal torsion (Hibbard), 456

Value of postvoid scan during adnexal sonography (Hill and Breckle), 23

Adrenal gland

Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting (Nisell et al.), 554

Adolescents

Cesarean section deliveries among adolescent mothers enrolled in comprehensive prenatal care program (Leppert, Namerow, and Horowitz), 623

Adrenergic drugs

Effects of α - and β -adrenergic stimulation of contractility and prostaglandin (Prostaglandins E_2 and $F_{2\alpha}$ and 6-keto-prostaglandin $F_{1\alpha}$) production of pregnant human myometrial strips (Quaas and Zahradnik), 852

α -Adrenergic receptors

Human myometrial adrenergic receptors during pregnancy: identification of α -adrenergic receptor by [3H] dihydroergocryptine binding (Jacobs, Hayashida, and Roberts), 680

β -Adrenergic receptors

Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhorning), 1063

Adrenocorticotrophic hormone

Effect of treatment with sodium valproate on plasma adrenocorticotrophic hormone and cortisol concentrations in pregnancy (Hatjis et al.), 315

AFP. See α -Fetoprotein

Age, maternal

Advanced maternal age: mature gravida (Kurz, Dorchester, and Freeman), 7

Age, maternal

Age extremes for reproduction: current implications for policy change (Davidson and Fukushima), 467

Aminoglycoside

Aminoglycoside dosing in obese puerperal women (Gibbs, Blanco, and Lipscomb), 89

Amniocentesis

Analysis of 2136 genetic amniocenteses: experience of single physician (Hanson et al.), 436

Assessing risks of midtrimester amniocentesis (Porreco), 917 (Letter); Reply (Crane and Kopta), 917

Significance of meconium in midtrimester genetic amniocentesis (Allen), 413

*May 1, 1-138; May 15, 139-246; June 1, 247-368; June 15, 369-494; July 1, 495-612; July 15, part 1, 613-728; part 2, 729-798; August 1, part 1, 799-920; part 2, 921-970; August 15, 971-1134.

Amniotic band syndrome

Amniotic band syndrome: antenatal sonographic diagnosis and potential pitfalls (Mahony et al.), 63

Amniotic fluid

Amniotic fluid embolism: overview and case report (Mulder), 430

Asymptomatic parturient women with high-virulence bacteria in amniotic fluid (Gibbs et al.), 650

Clearance of ³H-dopamine from amniotic fluid in rhesus monkey (Phillippe et al.), 601 (Current investigation)

Disposition of ethanol in maternal blood, fetal blood, and amniotic fluid of third-trimester pregnant ewes (Brien et al.), 583

Evaluation of gas-liquid chromatography for rapid diagnosis of amniotic fluid infection: preliminary report (Wager et al.), 51

Fluorescence polarization values of amniotic fluid collected from vagina after rupture of membranes (Schneider et al.), 572

Phospholipid analyses in amniotic fluid contaminated by seminal ejaculate (Sheriff), 112 (Letter); Reply (Romem and Golde), 112

Theoretical effects of amniotic fluid volume changes on surfactant concentration measurements (Nelson and Nelson), 870

Ultrasound diagnosis of meconium-stained amniotic fluid (Wong, Loong, and Chang), 359 (Letter); Reply (Benacerraf, Gatter, and Ginsburgh), 359

Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations (Laitinen et al.), 561

Amniotic shunt

Modification of fetal intraventricular amniotic shunt (Platt and DeVore), 1044

Ampicillin

High failure rates in outpatient treatment of salpingitis with either tetracycline alone or penicillin/ampicillin combination (Thompson et al.), 635

Anesthesia

Evaluation of use of continuous lumbar epidural anesthesia for hypertensive pregnant women in labor (Moore et al.), 404

Angiogenesis

Initiation of angiogenesis by porcine follicular fluid (Fredrick et al.), 1073

Ankyloses

Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Antibiotics

Prevention of endomyometritis by local application of antibiotic solution during cesarean section (Jensen et al.), 565

Prophylactic antibiotics unjustified for unselected abortion patients (McGregor), 722 (Letter); Reply (Grimes, Schulz, and Cates), 724

Antibodies

Actinomyces and intrauterine contraceptive device: aspects of fluorescent antibody stain (Pine, Curtis, and Brown), 287

Congenital complete heart block and SSA antibodies: obstetric implications (Singsen et al.), 655

Implantation site in complete molar pregnancy: study of immunologically competent cells with monoclonal antibodies (Kabawat et al.), 97

Prevalence of type-specific group B streptococcal antibody in human sera: study of 405 pregnant women (Skidmore, Henry, and Smith), 857

Study of NB/70K and CA 125 monoclonal antibody radioimmunoassays for measuring serum antigen levels in ovarian cancer patients (Knauf et al.), 911 (Current Investigation)

Antigen

Immunoperoxidase localization of chlamydial antigens in acute salpingitis (Winkler et al.), 275

Study of NB/70K and CA 125 monoclonal antibody radioimmunoassays for measuring serum antigen levels in ovarian cancer patients (Knauf et al.), 911 (Current Investigation)

Aorta

Fetal echocardiography. V. M-mode measurements of aortic root and aortic valve in second- and third-trimester normal human fetuses (DeVore, Siassi, and Platt), 543

Arteriovenous malformation

Arteriovenous malformation in pregnancy: case report and review of literature (Elliott et al.), 85

Ascites

Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039

Aspiration

Bartholin's cyst: marsupialization or aspiration (Cheetham), 569

B**Bacteria**

Asymptomatic parturient women with high-virulence bacteria in amniotic fluid (Gibbs et al.), 650

Bartholin's gland

Bartholin's cyst: marsupialization or aspiration (Cheetham), 569

Behavior

Behavioral states in human fetus during labor (Griffin, Caron, and van Geijn), 828

Biophysical profile, fetal

Fetal biophysical profile in patients with premature rupture of membranes—early predictor of fetal infection (Vintzileos et al.), 510

Birth weight

Comparison of sonographic estimation of fetal weight and obstetrically determined gestational age in prediction of neonatal outcome for very low-birth weight fetus (Chervenak et al.), 47

Cord blood glycosylated (glycated) hemoglobin: correlation with maternal glycosylated (glycated) hemoglobin and birth weight (Yatscoff, Mehta, and Dean), 861

Incisions of pregnant uterus and delivery of low-birth weight infants (Jovanovic), 971 (Clinical Opinion)

Low birth weight, intrauterine growth retardation, and preterm delivery (Goldenberg et al.), 980

Survival of very low-birth weight infants by level of hospital of birth: population study of perinatal systems in four states (Gortmaker et al.), 517

Weight-specific stillbirths and associated causes of death: analysis of 765 stillbirths (Morrison and Olsen), 975

Blood

Cord blood glycosylated (glycated) hemoglobin: correlation with maternal glycosylated (glycated) hemoglobin and birth weight (Yatscoff, Mehta, and Dean), 861

Disposition of ethanol in maternal blood, fetal blood, and amniotic fluid of third-trimester pregnant ewes (Brien et al.), 583

Blood flow

Effect of isoproterenol on uterine blood flow and cardiac output distribution in pregnant guinea pigs (van de Walle and Martin), 1058

Effects of maternal oxygen administration on fetal oxygenation during reductions in umbilical blood flow in fetal lambs (Edelstone, Peticca, and Goldblum), 351

Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155

Blood gases

Partial association of uterine contractions with changes in electrocortical activity, breathing, and PaO_2 in fetal lamb: effects of brain stem section (Hofmeyr et al.), 905

Blood sampling

Percutaneous umbilical blood sampling (Hobbins et al.), 1 (Clinical Opinion)

Bones

Thiazide diuretics and bone mineral content in postmenopausal women (Adland-Davenport et al.), 630

Books received, 118, 367, 611, 727

Bradycardia

Management of bradycardia during nonstress tests (Yeast), 112 (Letter); Reply (Bourgeois), 113

Brain

Eclampsia. IV. Neurological findings and future outcome (Sibai et al.), 184

Partial association of uterine contractions with changes in electrocortical activity, breathing, and PaPaO_2 in fetal lamb: effects of brain stem section (Hofmeyr et al.), 905

Breast

Mondor's disease in breast (Camiel), 879

Surgical problems in management of giant fibroadenoma of breast (Davis and Patel), 1010

Breast feeding

Vitamin E concentrations in serum of newborn infants after topical use of vitamin E by nursing mothers (Marx et al.), 668

Butorphanol

Sinusoidal fetal heart rate and butorphanol administration (Welt), 362 (Letter)

C

Calcium

Examination of role of calcium in ovulation in in vitro perfused rabbit ovary with use of ethyleneglycol-bis(β -aminoethyl ether)-n,n'-tetraacetic acid and verapamil (Kitai et al.), 705

Camptodactyly

Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Canada

Practice patterns and attitudes toward education among Canadian obstetricians and gynecologists (Mohide and Maudsley), 989

Candida infection

Efficacy of single- versus multiple-dose clotrimazole therapy in management of vulvovaginal candidiasis (Leberher, Guess, and Wolfson), 965

Efficacy and tolerability of single-dose versus six-day treatment of candidal vulvovaginitis with vaginal tablets of clotrimazole (Loendersloot et al.), 953

Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis (Sobel), 924

Is more than one application of antifungal necessary in treatment of acute vaginal candidiasis (Cohen), 961

Repeated candidiasis: reinfection or recrudescence? Review (Milsom and Forssman), 956

Treatment of recurrent vaginal candidiasis (Forssman and Milsom), 959

Cardiovascular disease

Oral contraceptives and cardiovascular disease: critique of epidemiologic studies (Realini and Goldzieher), 729

Cardiovascular indices

Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting (Nissell et al.), 554

Catheter

experience with pulmonary artery catheter in obstetrics and gynecology (Clark et al.), 374

Central Association of Obstetricians and Gynecologists, The

Transactions, fifty-second annual meeting, 139-245

Cervical cancer

Genital chlamydial infection and cervical cancer (Piura, Sarov, and Sarov), 363 (Letter); Reply (Reid), 364

Cervical intraepithelial neoplasia

Laser treatment of cervical intraepithelial neoplasia in office setting (Indman and Arndt), 674

Cervicitis

Prevalence and manifestations of endometritis among women with cervicitis (Paavonen et al.), 280

Cervicography

Cervicography: preliminary report (Blythe), 192

Cervix

Benign nevus (ephelis) of uterine cervix (Dundore and Lamas), 881

Cervicography: preliminary report (Blythe), 192

Conservative surgery for management of second-trimester cervical pregnancy (Tympanidis), 721 (Letter); Reply (ten Kate-Booij and Wallenburg), 721

Experimental evidence for progress of labor with increase in force of cervical dilatation after rupture of membranes (Manabe, Sagawa, and Mori), 696

Morphologic characteristics of cervical ripening induced by hormones relaxin and prostaglandin $\text{F}_{2\alpha}$ in rabbit model (MacLennan, Katz, and Creasy), 691

Cesarean section

Association of elective repeat cesarean delivery and persistent pulmonary hypertension of newborn (Heritage and Cunningham), 627

Cesarean section deliveries among adolescent mothers enrolled in comprehensive prenatal care program (Leppert, Namerow, and Horowitz), 623

Cesarean section delivery and future childbearing (Lee), 363 (Letter)

Chlamydia trachomatis isolation in patients with endometritis after cesarean section (Blanco et al.), 278

Prevention of endomyometritis by local application of antibiotic solution during cesarean section (Jensen et al.), 565

Chemotherapy

Intraperitoneal chemotherapy for advanced ovarian cancer (Lucas, Markman, and Howell), 474

Long-term survival rates with various chemotherapeutic regimens in Stages III and IV ovarian adenocarcinoma (Barlow, Lele, and Emrich), 310

Second-look laparotomy after chemotherapy in management of ovarian malignancy (Smirz et al.), 661

Children

Cesarean section delivery and future childbearing (Lee), 363 (Letter)

Chlamydial infections

Chlamydia trachomatis isolation in patients with endometritis after cesarean section (Blanco et al.), 278
Genital chlamydial infection and cervical cancer (Piura, Sarov, and Sarov), 363 (Letter); Reply (Reid), 364
Immunoperoxidase localization of chlamydial antigens in acute salpingitis (Winkler et al.), 275
Urethral isolation of genital mycoplasmas and *Chlamydia trachomatis* in women with chronic urologic complaints (Bump and Copeland), 38

Chorion

Chorionic villus sampling for first-trimester prenatal diagnosis: Northwestern University Program (Elias et al.), 204
Direct-vision sampling of chorionic villi during extra-amniotic instillation of physiologic saline solution: effect on intrauterine pressure and fetal heart activity (Löfberg et al.), 591

Chromatography, gas-liquid

Evaluation of gas-liquid chromatography for rapid diagnosis of amniotic fluid infection: preliminary report (Wager et al.), 51

Circulation

Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155

Citrovorum factor rescue

Methotrexate with citrovorum factor rescue in gestational trophoblastic disease (Wong, Choo, and Ma), 59

Clindamycin

Moxalactam versus clindamycin plus tobramycin in treatment of obstetric and gynecologic infections (Sweet et al.), 808

Clinical Opinion, 1-6, 247-51, 495-8, 613-8, 799-802, 971-4**Clotrimazole**

Efficacy of single- versus multiple-dose clotrimazole therapy in management of vulvovaginal candidiasis (Lebherz, Guess, and Wolfson), 965
Efficacy and tolerability of single-dose versus six-day treatment of candidal vulvovaginitis with vaginal tablets of clotrimazole (Loendersloot et al.), 953
Mode of action of clotrimazole: implications for therapy (Haller), 939
Pharmacokinetic fundamentals of vaginal treatment with clotrimazole (Ritter), 945
Therapeutic results obtained in vaginal mycoses after single-dose treatment with 500 mg clotrimazole vaginal tablets (Fleury, Hughes, and Floyd), 968

Coagulation

Effects of low-dose oral contraceptives on coagulation and fibrinolysis in two high-risk populations: young female smokers and older premenopausal women (Notelovitz et al.), 995

Condyloma acuminatum

Superficial laser vulvectomy. III. New surgical technique for appendage-conserving ablation of refractory condylomas and vulvar intraepithelial neoplasia (Reid), 504

Congenital anomalies

Congenital complete heart block and SSA antibodies: obstetric implications (Singsen et al.), 655
Predictive value, sensitivity and specificity of ultrasonic targeted imaging for fetal anomalies in gravid women at high risk for birth defects (Sabbagha et al.), 822

Role of ultrasound in aggressive management of obstructed labor secondary to fetal malformations (Clark, DeVore, and Platt), 1042

Contraceptives, intrauterine devices

Actinomyces and intrauterine contraceptive device: aspects of fluorescent antibody stain (Pine, Curtis, and Brown), 287
Long-term use of intrauterine contraceptive devices in private practice (Sandmire and Cavanaugh), 169
Surface changes in intrauterine contraceptive devices after variable use (Keith et al.), 69

Contraceptives, oral

Effects of low-dose oral contraceptives on coagulation and fibrinolysis in two high-risk populations: young female smokers and older premenopausal women (Notelovitz et al.), 995
Oral contraceptives and cardiovascular disease: critique of epidemiologic studies (Realini and Goldzieher), 729
Correspondence, 112-18, 359-64, 603-10, 721-6, 914-19, 1107-9

Corticosteroids

Antenatal therapy with corticosteroids and postpartum complications (Curet et al.), 82

Cortisol

Effect of treatment with sodium valproate on plasma adrenocorticotropic hormone and cortisol concentrations in pregnancy (Hatjis et al.), 315

Corynebacterium parvum

Intraperitoneal immunotherapy of epithelial ovarian carcinoma with *Corynebacterium parvum* (Berek et al.), 1003

Curettage

Office hysteroscopy and suction curettage: can we eliminate hospital diagnostic dilatation and curettage (Goldrath and Sherman), 220
Preventing febrile complications of suction curettage abortion (Park et al.), 252

Current Development, 318-29, 485-93, 1047-53**Current Investigation, 599-602, 911-3****D****Dermis**

Superficial laser vulvectomy. I. Anatomic and biophysical principles permitting accurate control over depth of dermal destruction with carbon dioxide laser (Reid et al.), 261

Dexamethasone

Unsuccessful treatment of fetal immunologic thrombocytopenia with dexamethasone (Yin and Scott), 316

Dextran

Is intraperitoneal dextran 70 safe for routine gynecologic use (Magyar et al.), 198
Plasma dextran levels after abdominal instillation of 32% dextran 70: evidence for prolonged intraperitoneal retention (Cleary, Howard, and diZerega), 78

Diabetes

Diabetes and spontaneous abortion (Kalter), 603 (Letter); Reply (Miodovnik, Holroyde, and Stys), 603
Gestational diabetes and birth trauma (Hunter and Milner), 918 (Letter); Reply (Coustan), 919
Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients (Bracero et al.), 43

Dickinson's sign

Dickinson's sign: focal uterine softening in early pregnancy and its correlation with placental site (Munsick), 799 (Clinical Opinion)

Dihydroergocryptine

Human myometrial adrenergic receptors during pregnancy: identification of α -adrenergic receptor by [3 H] dihydroergocryptine binding (Jacobs, Hayashida, and Roberts), 680

Disease

Methotrexate with citrovorum factor rescue in gestational trophoblastic disease (Wong, Choo, and Ma), 59

Mondor's disease in breast (Camiel), 879

Morphologic characteristics of placenta in glycogen storage disease type II (α -1,4-glucosidase deficiency) (Bendon and Hug), 1021

Noninvasive prediction of hyaline membrane disease: optimized classification of sonographic placental maturation (Kazzi et al.), 213

Reproductive patterns and risk of gestational trophoblastic disease (Parazzini et al.), 864

Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039

Diuresis

Failure of Lasix to induce fetal diuresis (Ross, Ervin, and Leake), 1107 (Letter); Reply (Romero and Hobbins), 1107

Diuretics

Thiazide diuretics and bone mineral content in postmenopausal women (Adland-Davenport et al.), 630

Dopamine

3 H-dopamine clearance from intravascular compartment of maternal and fetal rhesus monkey (Phillippe et al.), 599 (Current Investigation)

Clearance of 3 H-dopamine from amniotic fluid in rhesus monkey (Phillippe et al.), 601 (Current Investigation)

Dorsiflexion

Dorsiflexion of big toe—sign of impending fetal micturition (Meizner and Bar-Ziv), 722 (Letter)

Dublin, Ireland

Dublin randomized controlled trial of intrapartum fetal heart rate monitoring (MacDonald et al.), 524

Dystocia

Zavanelli maneuver: potentially revolutionary method for resolution of shoulder dystocia (Sandberg), 479

E

Echocardiography

Fetal echocardiography. V. M-mode measurements of aortic root and aortic valve in second- and third-trimester normal human fetuses (DeVore, Siassi, and Platt), 543

Edema

Hemodynamic observations in severe preeclampsia complicated by pulmonary edema (Benedetti, Kates, and Williams), 330

Education

Practice patterns and attitudes toward education among Canadian obstetricians and gynecologists (Mohide and Maudsley), 989

EGTA

Examination of role of calcium in ovulation in in vitro perfused rabbit ovary with use of ethyleneglycol-bis(β -aminoethyl ether)-n,n'-tetraacetic acid and verapamil (Kitai et al.), 705

Ellipse

Elusive ellipse (Christenson and McCown), 114 (Letter); Reply (DeVore), 115

Embolus

Amniotic fluid embolism: overview and case report (Muller), 430

Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolism (Duff and Greene), 80

Encephalopathy

Relationship between perinatal hypoxia and newborn encephalopathy (Low et al.), 256

Endometriosis

Isolated endometriosis in inguinal hernia (Quagliarello, Coppa, and Bigelow), 688

Peritoneal fluid 6-keto prostaglandin $F_{1\alpha}$ levels in women with endometriosis (Mudge et al.), 901

Endometritis

Chlamydia trachomatis isolation in patients with endometritis after cesarean section (Blanco et al.), 278

Prevalence and manifestations of endometritis among women with cervicitis (Paavonen et al.), 280

Prevention of endometritis by local application of antibiotic solution during cesarean section (Jensen et al.), 565

Endometrium

Endometrial responses to transdermal estradiol in postmenopausal women (Whitehead et al.), 1079

Endorphins

Maternal and fetal β -endorphin release in response to stress of labor and delivery (Kofinas, Kofinas, and Tavakoli), 56

Epidemiology

Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis (Sobel), 924

Oral contraceptives and cardiovascular disease: critique of epidemiologic studies (Realini and Goldzieher), 729

Epilepsy

Obstetric outcome in women with epilepsy (Huilesmaa, Bardy, and Teramo), 499

Epithelial carcinoma

Intraperitoneal immunotherapy of epithelial ovarian carcinoma with *Corynebacterium parvum* (Berek et al.), 1003

Epithelium

Human lymphoblastoid interferon in treatment of advanced epithelial ovarian malignancies: Gynecologic Oncology Group study (Abdulhay et al.), 418

Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolism (Duff and Greene), 80

Errata, 118, 219, 229, 493

Erythrocytes

Erythrocyte filterability and fetal development in normal pregnancy (Kaibara, Marumoto, and Kobayashi), 719

Estraderm

Double-blind comparative study of Estraderm and Premarin in amelioration of postmenopausal symptoms (Place et al.), 1092

Estradiol

Efficacy, acceptability, and metabolic effects of transdermal estradiol in management of postmenopausal women (Padwick, Endacott, and Whitehead), 1085

Endometrial responses to transdermal estradiol in postmenopausal women (Whitehead et al.), 1079

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17β -estradiol: comparison with conventional oral estrogens used for hormone replacement (Powers et al.), 1099

Symposium on treatment of postmenopausal women with transdermal delivery of estradiol, 1079-1086

Estrogen

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17 β -estradiol: comparison with conventional oral estrogens used for hormone replacement (Powers et al.), 1099

Ethanol

Disposition of ethanol in maternal blood, fetal blood, and amniotic fluid of third-trimester pregnant ewes (Brien et al.), 583

Exenteration

Palliative exenteration—what, when, and why (Stanhope and Symmonds), 12

Exercise

Exercise dynamics in late gestation: effects of physical training (Morton et al.), 91

Exsanguination

Elevated maternal α -fetoprotein levels with subsequent fetal exsanguination (Dierker), 82

F**Facial anomalies**

Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Family planning, natural

Vulvar effects of toilet tissue observational routine in practice of natural family planning (Norris), 1108 (Letter)

Febrile complications

Preventing febrile complications of suction curettage abortion (Park et al.), 252

Femur

Use of femur length in estimation of fetal weight (Hill et al.), 847

Ferritin

Role of transferrin and ferritin in fetal-maternal-placental unit (Okuyama et al.), 344

 α -Fetoprotein

Elevated maternal α -fetoprotein levels with subsequent fetal exsanguination (Dierker), 82

Maternal serum α -fetoprotein screening: effect of participation on anxiety and attitude toward pregnancy in women with normal results (Burton, Dillard, and Clark), 540

Maternal serum α -fetoprotein in twin pregnancies uncomplicated by neural tube defect (Redford and Whitfield), 550

Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations (Laitinen et al.), 561

Fetus

Behavioral states in human fetus during labor (Griffin, Caron, and van Geijn), 828

Comparison of sonographic estimation of fetal weight and obstetrically determined gestational age in prediction of neonatal outcome for very low-birth weight fetus (Chervenak et al.), 47

Direct-vision sampling of chorionic villi during extra-amniotic instillation of physiologic saline solution: effect on intrauterine pressure and fetal heart activity (Löfberg et al.), 591

Disposition of ethanol in maternal blood, fetal blood, and amniotic fluid of third-trimester pregnant ewes (Brien et al.), 583

Dorsiflexion of big toe—sign of impending fetal micturition (Meizner and Bar-Ziv), 722 (Letter)

Effects of maternal oxygen administration on fetal oxygen-

ation during reductions in umbilical blood flow in fetal lambs (Edelstone, Peticca, and Goldblum), 351

Elevated maternal α -fetoprotein levels with subsequent fetal exsanguination (Dierker), 82

Erythrocyte filterability and fetal development in normal pregnancy (Kaibara, Marumoto, and Kobayashi), 719

Failure of Lasix to induce fetal diuresis (Ross, Ervin, and Leake), 1107 (Letter); Reply (Romero and Hobbins), 1107

Fetal biophysical profile in patients with premature rupture of membranes—early predictor of fetal infection (Vintzileos et al.), 510

Fetal echocardiography. V. M-mode measurements of aortic root and aortic valve in second- and third-trimester normal human fetuses (DeVore, Siassi, and Platt), 543

Fetal pericardial fluid (Yagel and Hurwitz), 721 (Letter)

Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155

Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhörning), 1063

³H-dopamine clearance from intravascular compartment of maternal and fetal rhesus monkey (Phillippe et al.), 599 (Current Investigation)

Interferon responses in maternal and fetal mice (Evans et al.), 99

Maternal and fetal β -endorphin release in response to stress of labor and delivery (Kofinas, Kofinas, and Tavakoli), 56

Modification of fetal intraventricular amniotic shunt (Platt and DeVore), 1044

Natural history of ventriculomegaly in fetus without obstructive hydrocephalus (Chervenak et al.), 574

Partial association of uterine contractions with changes in electrocortical activity, breathing, and PaPaO₂ in fetal lamb: effects of brain stem section (Hofmeyr et al.), 905

Predictive value, sensitivity, and specificity of ultrasonic targeted imaging for fetal anomalies in gravid women at high risk for birth defects (Sabbagha et al.), 822

Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus immunization (Nicolaidis, Warenski, and Rodeck), 341

Role of transferrin and ferritin in fetal-maternal-placental unit (Okuyama et al.), 344

Role of ultrasound in aggressive management of obstructed labor secondary to fetal malformations (Clark, DeVore, and Platt), 1042

Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039

Unsuccessful treatment of fetal immunologic thrombocytopenia with dexamethasone (Yin and Scott), 316

Use of femur length in estimation of fetal weight (Hill et al.), 847

Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients (Bracero et al.), 43

Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations (Laitinen et al.), 561

Fibrinolysis

Effects of low-dose oral contraceptives on coagulation and fibrinolysis in two high-risk populations: young female smokers and older premenopausal women (Notelovitz et al.), 995

Fibroadenoma

Surgical problems in management of giant fibroadenoma of breast (Davis and Patel), 1010

Fibronectin

Changes in distribution of fibronectin in placenta during normal human pregnancy (Yamaguchi et al.), 715

Flow velocity waveforms

Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155

Forceps

Article does not show harm from midforceps (Smith), 604 (Letter); Reply (Friedman), 604

In defense of midforceps (Goodlin), 605 (Letter); Reply (Friedman), 605

Midforceps: maternal and neonatal outcome (Dierker et al.), 176

Role of midforceps in current obstetric practice (Pearson), 606 (Letter); Reply (Friedman), 606

Fungus

Is more than one application of antifungal necessary in treatment of acute vaginal candidiasis (Cohen), 961

G

Genital tract

Genital chlamydial infection and cervical cancer (Piura, Sarov, and Sarov), 363 (Letter); Reply (Reid), 364

Genital tuberculosis in elderly woman with primary symptoms of pelvic prolapse: case report (Montz and diZerega), 42

Urethral isolation of genital mycoplasmas and *Chlamydia trachomatis* in women with chronic urologic complaints (Bump and Copeland), 38

Gestational age

Comparison of sonographic estimation of fetal weight and obstetrically determined gestational age in prediction of neonatal outcome for very low-birth weight fetus (Chervenak et al.), 47

Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients (Bracero et al.), 43

Glucocorticoids

Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhörning), 1063

Glucose

Effect of oral ritodrine therapy on glucose tolerance in pregnancy (Main et al.), 1031

Glucosidase

Morphologic characteristics of placenta in glycogen storage disease type II (α -1,4-glucosidase deficiency) (Bendon and Hug), 1021

Glycogen storage disease

Morphologic characteristics of placenta in glycogen storage disease type II (α -1,4-glucosidase deficiency) (Bendon and Hug), 1021

Goiter

Goiter in pregnant teenagers (Long, Felice, and Hollingsworth), 670

Gonadotropin, human chorionic

Doubling times of human chorionic gonadotropin increase in early viable intrauterine pregnancies (Pittaway, Reish, and Wentz), 299

Neuroendocrinology of opioid peptides and their role in control of gonadotropin and prolactin secretion (Yen et al.), 485 (Current Development)

Gonadotropin-releasing hormone

Luteinizing hormone-releasing hormone agonist and uterine leiomyoma: pilot study (Maheux et al.), 1034

H

hCG. See Gonadotropin, human chorionic

Heart

Congenital complete heart block and SSA antibodies: obstetric implications (Singsen et al.), 655

Direct-vision sampling of chorionic villi during extra-amniotic instillation of physiologic saline solution: effect on intrauterine pressure and fetal heart activity (Löfberg et al.), 591

Effect of isoproterenol on uterine blood flow and cardiac output distribution in pregnant guinea pigs (van de Walle and Martin), 1058

Labor and delivery in presence of mitral stenosis: central hemodynamic observations (Clark et al.), 984

Maternal heart rate in pregnancy (Clapp), 659

Modification of fetal intraventricular amniotic shunt (Platt and DeVore), 1044

Heart rate, fetal

Dublin randomized controlled trial of intrapartum fetal heart rate monitoring (Macdonald et al.), 524

Fetal heart rate accelerations and fetal movements in twin pregnancies (Ohel et al.), 686

Management of bradycardia during nonstress tests (Yeast), 112 (Letter); Reply (Bourgeois), 113

Nonstress test as diagnostic test: critical reappraisal (Devoe, Castillo, and Sherline), 1047 (Current Development)

Sinusoidal fetal heart rate and butorphanol administration (Welt), 362 (Letter)

HELLP syndrome

HELLP syndrome: pathologic entity or technical inadequacy (Greer, Cameron, and Walker), 113 (Letter)

Severe hypoglycemia associated with HELLP syndrome (Egley, Gutlioph, and Bowes), 576

Hemodynamics

Hemodynamic observations in severe preeclampsia complicated by pulmonary edema (Benedetti, Kates, and Williams), 330

Labor and delivery in presence of mitral stenosis: central hemodynamic observations (Clark et al.), 984

Hemoglobin

Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus isoimmunization (Nicolaidis, Warenski, and Rodeck), 341

Hemoglobinopathy

Prenatal screening for hemoglobinopathies (Smith), 604 (Letter); Reply (Stein and Detter), 604

Proper documentation of hemoglobinopathies (Almeida and Kitay), 607 (Letter); Reply (Pastorek), 607

Hernia

Isolated endometriosis in inguinal hernia (Quagliarello, Coppa, and Bigelow), 688

Herpes simplex infection

Congenital herpes simplex type II infection (Monif, Kellner, and Donnelly), 1000

Histomorphometry

Histomorphometry of human placenta in maternal pre-eclampsia (Teasdale), 25

Hormones

Hormone levels and premenstrual syndrome (Martin), 361 (Letter); Reply (Faratian, O'Brien, and Filshie), 362

Morphologic characteristics of cervical ripening induced by hormones relaxin and prostaglandin $F_{2\alpha}$ in rabbit model (MacLennan, Katz, and Creasy), 691

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17 β -estradiol: comparison with conven-

tional oral estrogens used for hormone replacement (Powers et al.), 1099

Hospital

Office hysteroscopy and suction curettage: can we eliminate hospital diagnostic dilatation and curettage (Goldrath and Sherman), 220

Hyaline membrane disease

Noninvasive prediction of hyaline membrane disease: optimized classification of sonographic placental maturation (Kazzi et al.), 213

Hydatidiform mole

Implantation site in complete molar pregnancy: study of immunologically competent cells with monoclonal antibodies (Kabawat et al.), 97

Risk factors for complete molar pregnancy from case-control study (Berkowitz et al.), 1016

Strict clinicopathologic criteria in diagnosis of partial hydatidiform mole: plea renewed (Szulman and Surti), 1107 (Letter); Reply (Teng and Ballon), 1108

Hydrocephalus

Natural history of ventriculomegaly in fetus without obstructive hydrocephalus (Chervenak et al.), 574

Hydrops

Idiopathic nonimmune hydrops: common entity (Buttino), 606 (Letter); Reply (Golbus), 607

Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus immunization (Nicolaidis, Warenski, and Rodeck), 341

Hypertension

Association of elective repeat cesarean delivery and persistent pulmonary hypertension of newborn (Heritage and Cunningham), 627

Evaluation of use of continuous lumbar epidural anesthesia for hypertensive pregnant women in labor (Moore et al.), 404

Hypertension, pregnancy-induced

Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting (Nisell et al.), 554

Hyperthermia

More on malignant hyperthermia during delivery (Kaplan and Kellner), 608 (Letter); Reply (Cupryn, Kennedy, and Byrick), 609

Hypertonus

Tocolysis of eclampsia-associated uterine hypertonus (Kells), 608 (Letter); Reply (Barrett), 608

Hypoglycemia

Severe hypoglycemia associated with HELLP syndrome (Egley, Gutliph, and Bowes), 576

Hypoxia

Relationship between perinatal hypoxia and newborn encephalopathy (Low et al.), 256

Hysterectomy

Factors affecting incidence of infectious morbidity after radical hysterectomy (Marsden et al.), 817

Mortality risk associated with hysterectomy (Wingo et al.), 803

Hysteroscopy

Office hysteroscopy and suction curettage: can we eliminate hospital diagnostic dilatation and curettage (Goldrath and Sherman), 220

I

Ileus

Water-soluble radiocontrast material in treatment of postoperative ileus (Watkins and Robertson), 450

Immunity

Idiopathic nonimmune hydrops: common entity (Buttino), 606 (Letter); Reply (Golbus), 607

Immune complexes in preeclampsia and normal pregnancy (Massobrio et al.), 578

Immunization

Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039

Immunofluorescence

Diagnosis of congenital syphilis by immunofluorescence following fetal death in utero (Epstein and King), 689

Immunology

Implantation site in complete molar pregnancy: study of immunologically competent cells with monoclonal antibodies (Kabawat et al.), 97

Immunoperoxidase

Immunoperoxidase localization of chlamydial antigens in acute salpingitis (Winkler et al.), 275

Immunotherapy

Intraperitoneal immunotherapy of epithelial ovarian carcinoma with *Corynebacterium parvum* (Berek et al.), 1003

In Memoriam

Howard C. Taylor, Jr., 365-6

Infant

Association of elective repeat cesarean delivery and persistent pulmonary hypertension of newborn (Heritage and Cunningham), 627

Incisions of pregnant uterus and delivery of low-birth weight infants (Jovanovic), 971 (Clinical Opinion)

Intraligamentary pregnancy resulting in live infant (Vierhout and Wallenburg), 878

Survival of very low-birth weight infants by level of hospital of birth: population study of perinatal systems in four states (Gortmaker et al.), 517

Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients (Bracero et al.), 43

Vaginal breech delivery of selected infants weighing more than 2000 grams (Tatum et al.), 145

Vitamin E concentrations in serum of newborn infants after topical use of vitamin E by nursing mothers (Marx et al.), 668

Infections

Congenital herpes simplex type II infection (Monif, Kellner, and Donnelly), 1000

Evaluation of gas-liquid chromatography for rapid diagnosis of amniotic fluid infection: preliminary report (Wager et al.), 51

Factors affecting incidence of infectious morbidity after radical hysterectomy (Marsden et al.), 817

Fetal biophysical profile in patients with premature rupture of membranes—early predictor of fetal infection (Vintzileos et al.), 510

Genital chlamydial infection and cervical cancer (Piura, Sarov, and Sarov), 363 (Letter); Reply (Reid), 364

Moxalactam versus clindamycin plus tobramycin in treatment of obstetric and gynecologic infections (Sweet et al.), 808

Repeated candidiasis: reinfection or recrudescence? Review (Milsom and Forssman), 956

Interferon

Human lymphoblastoid interferon in treatment of advanced epithelial ovarian malignancies: Gynecologic Oncology Group study (Abdulhay et al.), 418

Interferon responses in maternal and fetal mice (Evans et al.), 99

Intestinal tract

Conservative management of small bowel obstruction (Helmkamp and Kimmel), 677

Small bowel obstruction secondary to prior Moschowitz procedure (Dicke), 887

Water-soluble radiocontrast material in treatment of post-operative ileus (Watkins and Robertson), 450

Intravascular compartment

³H-dopamine clearance from intravascular compartment of maternal and fetal rhesus monkey (Phillippe et al.), 599 (Current Investigation)

Isoproterenol

Effect of isoproterenol on uterine blood flow and cardiac output distribution in pregnant guinea pigs (van de Walle and Martin), 1058

Items, 120-37, 368, 494, 612, 728, 920, 1110

K

Kidney

Polyhydramnios and obstructive renal failure: case report and review of literature (Vintzileos et al.), 883

Renal vein thrombosis following puerperal ovarian vein thrombophlebitis (Bahnsen, Wendel, and Vogelzang), 290

Killer cell

Natural killer cell activity during pregnancy (Labarrere), 359 (Letter); Reply (Okamura), 360

L

Labor and delivery

Article does not show harm from midforceps (Smith), 604 (Letter); Reply (Friedman), 604

Association of elective repeat cesarean delivery and persistent pulmonary hypertension of newborn (Heritage and Cunningham), 627

Behavioral states in human fetus during labor (Griffin, Caron, and van Geijn), 828

Cesarean section deliveries among adolescent mothers enrolled in comprehensive prenatal care program (Leppert, Namerow, and Horowitz), 623

Cesarean section delivery and future childbearing (Lee), 363 (Letter)

Chlamydia trachomatis isolation in patients with endometritis after cesarean section (Blanco et al.), 278

Continuous long-term intravenous β -sympathomimetic tocolysis (Hill et al.), 271

Dublin randomized controlled trial of intrapartum fetal heart rate monitoring (MacDonald et al.), 524

Evaluation of use of continuous lumbar epidural anesthesia for hypertensive pregnant women in labor (Moore et al.), 404

Experimental evidence for progress of labor with increase in force of cervical dilatation after rupture of membranes (Manabe, Sagawa, and Mori), 696

Fetal biophysical profile in patients with premature rupture of membranes—early predictor of fetal infection (Vintzileos et al.), 510

Fluorescence polarization values of amniotic fluid collected from vagina after rupture of membranes (Schneider et al.), 572

Gestational diabetes and birth trauma (Hunter and Milner), 918 (Letter); Reply (Coustan), 919

In defense of midforceps (Goodlin), 605 (Letter); Reply (Friedman), 605

Incisions of pregnant uterus and delivery of low-birth weight infants (Jovanovic), 971 (Clinical Opinion)

Intrapartum external cephalic version (Ferguson and Dyson), 297

Labor and delivery in presence of mitral stenosis: central hemodynamic observations (Clark et al.), 984

Low birth weight, intrauterine growth retardation, and preterm delivery (Goldenberg et al.), 980

Maternal and fetal β -endorphin release in response to stress of labor and delivery (Kofinas, Kofinas, and Tavakoli), 56

Midforceps: maternal and neonatal outcomes (Dierker et al.), 176

More on malignant hyperthermia during delivery (Kaplan and Kellner), 608 (Letter); Reply (Cupryn, Kennedy, and Byrick), 609

Partial association of uterine contractions with changes in electrocortical activity, breathing, and PaPaO₂ in fetal lamb: effects of brain stem section (Hofmeyr et al.), 905

Premature rupture of membranes at term (Spinnato), 309 (Letter); Reply (Prendiville and Conway), 610

Prevention of endomyometritis by local application of antibiotic solution during cesarean section (Jensen et al.), 565

Role of midforceps in current obstetric practice (Pearson), 606 (Letter); Reply (Friedman), 606

Role of ultrasound in aggressive management of obstructed labor secondary to fetal malformations (Clark, DeVore, and Platt), 1042

Survival of very low-birth weight infants by level of hospital of birth: population study of perinatal systems in four states (Gortmaker et al.), 517

Uterine rupture and labor induction with prostaglandin (Thiery), 914 (Letter)

Vaginal breech delivery of selected infants weighing more than 2000 grams (Tatum et al.), 145

Zavanelli maneuver: potentially revolutionary method for resolution of shoulder dystocia (Sandberg), 479

Laser

Laser treatment of cervical intraepithelial neoplasia in office setting (Indman and Arndt), 674

Superficial laser vulvectomy. II. Anatomic and biophysical principles permitting accurate control over depth of dermal destruction with carbon dioxide laser (Reid et al.), 261

Superficial laser vulvectomy. III. New surgical technique for appendage-conserving ablation of refractory condylomas and vulvar intraepithelial neoplasia (Reid), 504

Lasix

Failure of Lasix to induce fetal diuresis (Ross, Ervin, and Leake), 1107 (Letter); Reply (Romero and Hobbins), 1107

Leiomyoma

Luteinizing hormone-releasing hormone agonist and uterine leiomyoma: pilot study (Maheux et al.), 1034

Ligament

Intraligamentary pregnancy resulting in live infant (Vierhout and Wallenburg), 878

Lung

Association of elective repeat cesarean delivery and persistent pulmonary hypertension of newborn (Heritage and Cunningham), 627

Experience with pulmonary artery catheter in obstetrics and gynecology (Clark et al.), 374

Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhörning), 1063

- Hemodynamic observations in severe preeclampsia complicated by pulmonary edema (Benedetti, Kates, and Williams), 330
- Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolism (Duff and Greene), 80
- Syndrome of campodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303
- Lymphatics**
 - Lymphatic spread in carcinoma of vulva (Figge, Tamimi, and Greer), 387

M

- Marsupialization**
 - Bartholin's cyst: marsupialization or aspiration (Cheetham), 569
- Meconium**
 - Significance of meconium in midtrimester genetic amniocentesis (Allen), 413
 - Ultrasound diagnosis of meconium-stained amniotic fluid (Wong, Loong, and Chang), 359 (Letter); Reply (Bencerraf, Gatter, and Ginsburgh), 359
- Menstrual cycle**
 - Long-term risk of menstrual disturbances after tubal sterilization (DeStefano et al.), 835
- Metabolism**
 - Efficacy, acceptability, and metabolic effects of transdermal estradiol in management of postmenopausal women (Padwick, Endacott, and Whitehead), 1085
 - Metabolism and disposition of ritodrine in pregnant baboon (Borrisud et al.), 1067
- Methotrexate**
 - Methotrexate with citrovorum factor rescue in gestational trophoblastic disease (Wong, Choo, and Ma), 59
- Microsurgery**
 - Effect of training in microsurgery (Oelsner et al.), 1054
- Microvasculature**
 - Microvasculature of preovulatory follicles: comparison of in situ and in vitro perfused rabbit ovaries following stimulation of ovulation (Kitai et al.), 889
- Micturition**
 - Dorsiflexion of big toe—sign of impending fetal micturition (Meizner and Bar-Ziv), 722 (Letter)
- Minerals**
 - Thiazide diuretics and bone mineral content in postmenopausal women (Adland-Davenport et al.), 630
- Molar pregnancy.** See Hydatidiform mole
- Mondor's disease**
 - Mondor's disease in breast (Camiel), 879
- Morphology**
 - Morphologic characteristics of cervical ripening induced by hormones relaxin and prostaglandin $F_{2\alpha}$ in rabbit model (MacLennan, Katz, and Creasy), 691
 - Morphologic characteristics of placenta in glycogen storage disease type II (α -1,4-glucosidase deficiency) (Bendon and Hug), 1021
- Mortality**
 - Mortality risk associated with hysterectomy (Wingo et al.), 803
- Mortality, maternal**
 - Response of New York Obstetrical Society to report by New York Academy of Medicine on maternal mortality, 1933-1934 (Porges), 642
 - Return to maternal mortality studies: necessary effort (Fox), 379

Mortality, perinatal

- Diagnosis of congenital syphilis by immunofluorescence following fetal death in utero (Epstein and King), 689
- Importance of primary diagnosis in perinatal death (Davies and Arroyo), 17
- Twin pregnancy with intrauterine death of one twin (Enbom), 424

Moschcowitz procedure

- Small bowel obstruction secondary to prior Moschcowitz procedure (Dicke), 887

Movements, fetal

- Fetal heart rate accelerations and fetal movements in twin pregnancies (Ohel et al.), 686

Moxalactam

- Maxalactam versus clindamycin plus tobramycin in treatment of obstetric and gynecologic infections (Sweet et al.), 808

Mumps

- Mumps and postmenopausal ovarian cancer (Schiffman et al.), 116 (Letter); Reply (Cramer), 117

Mycoplasma infection

- Urethral isolation of genital mycoplasmas and *Chlamydia trachomatis* in women with chronic urologic complaints (Bump and Copeland), 38

Mycoses

- International symposium on vulvovaginal mycoses, 921
- Therapeutic results obtained in vaginal mycoses after single-dose treatment with 500 mg clotrimazole vaginal tablets (Fleury, Hughes, and Floyd), 968

Myometrium

- Effects of α - and β -adrenergic stimulation on contractility and prostaglandin (prostaglandins E_2 and $F_{2\alpha}$ and 6-keto-prostaglandin $F_{1\alpha}$) production of pregnant human myometrial strips (Quaas and Azhradnik), 852
- Human myometrial adrenergic receptors during pregnancy: identification of α -adrenergic receptor by [3H] dihydroergocryptine binding (Jacobs, Hayashida, and Roberts), 680

N

Nadolol

- Neonatal effects of maternal nadolol therapy (Fox, Marx, and Stark), 1045

Neonate

- Comparison of sonographic estimation of fetal weight and obstetrically determined gestational age in prediction of neonatal outcome for very low-birth weight fetus (Chervenak et al.), 47
- Midforceps: maternal and neonatal outcomes (Dierker et al.), 176
- Neonatal effects of maternal nadolol therapy (Fox, Marx, and Stark), 1045
- Relationship between perinatal hypoxia and newborn encephalopathy (Low et al.), 256

Neural tube defects

- Maternal serum α -fetoprotein in twin pregnancies uncomplicated by neural tube defect (Redford and Whitfield), 550

Neuroendocrinology

- Neuroendocrinology of opioid peptides and their role in control of gonadotropin and prolactin secretion (Yen et al.), 485 (Current Development)

Neurofibromatosis

- Neurofibromatosis: cause or coincidence of pregnancy complications (Davies), 914 (Letter); Reply (Ferguson, Belton, and Catanzarite), 914

Nevus

- Benign nevus (ephelis) of uterine cervix (Dundore and Lamas), 881

New York Academy of Medicine

- Response of New York Obstetrical Society to report by New York Academy of Medicine on maternal mortality, 1933-1934 (Porges), 642

New York Obstetrical Society

- Response of New York Obstetrical Society to report by New York Academy of Medicine on maternal mortality, 1933-1934 (Porges), 642

Northwestern University

- Chorionic villus sampling for first-trimester prenatal diagnosis: Northwestern University Program (Elias et al.), 204

O

Obesity

- Aminoglycoside dosing in obese puerperal women (Gibbs, Blanco, and Lipscomb), 89
Interval tubal sterilization in obese women—assessment of risks (Chi and Wilkens), 292

Obstetrics and gynecology

- Analysis of 2136 genetic amniocentesis: experience of single physician (Hanson et al.), 436
Circle and Eight Happineses (Beazley), 163
Congenital complete heart block and SSA antibodies: obstetric implications (Singsen et al.), 655
Diagnostic tests in obstetrics: method for improved evaluation (Richardson et al.), 613 (Clinical Opinion)
Experience with pulmonary artery catheter in obstetrics and gynecology (Clark et al.), 374
Is intraperitoneal dextran 70 safe for routine gynecologic use (Magyar et al.), 198
Long-term use of intrauterine contraceptive devices in private practice (Sandmire and Cavanaugh), 169
Moxalactam versus clindamycin plus tobramycin in treatment of obstetric and gynecologic infections (Sweet et al.), 808
Obstetric outcome in women with epilepsy (Hiilesmaa, Bardy, and Teramo), 499
Office hysteroscopy and suction curettage: can we eliminate hospital diagnostic dilatation and curettage (Goldrath and Sherman), 220
Practice patterns and attitudes toward education among Canadian obstetricians and gynecologists (Mohide and Maudsley), 989
Problem of patient compliance (Robertson), 948
Prostacyclin and thromboxane in gynecology and obstetrics (Ylikorkala and Mäkilä), 318 (Current Development)
Role of midforceps in current obstetric practice (Pearson), 606 (Letter); Reply (Friedman), 606
Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Ovarian cancer

- Human lymphoblastoid interferon in treatment of advanced epithelial ovarian malignancies: Gynecologic Oncology Group study (Abdulhay et al.), 418
Intraperitoneal chemotherapy for advanced ovarian cancer (Lucas, Markman, and Howell), 474
Mumps and postmenopausal ovarian cancer (Schiffman et al.), 116 (Letter); Reply (Cramer), 117
Second-look laparotomy after chemotherapy in management of ovarian malignancy (Smirz et al.), 661
Second-look laparotomy in ovarian cancer: evaluation of pathologic variables (Podratz et al.), 230

- Study of NB/70K and CA 125 monoclonal antibody radioimmunoassays for measuring serum antigen levels in ovarian cancer patients (Knauf et al.), 911 (Current Investigation)

Ovarian carcinoma

- Intraperitoneal immunotherapy of epithelial ovarian carcinoma with *Corynebacterium parvum* (Berek et al.), 1003
Long-term survival rates with various chemotherapeutic regimens in Stages III and IV ovarian adenocarcinoma (Barlow, Lele, and Emrich), 310

Ovarian tumors

- Malignant ovarian germ cell tumors: review of thirty-six cases (Micha et al.), 842
Maternal virilization in pregnancy due to unclassified sex-cord stromal neoplasm (Quagliarello and Blaustein), 570
Sonographic appearance of ovarian thecoma (Woo and Ghosh), 361 (Letter)
Use of Deaver retractor for exteriorization of ovarian cysts at laparotomy (Menczer), 885

Ovary

- Examination of role of calcium in ovulation in in vitro perfused rabbit ovary with use of ethyleneglycol-bis(β -aminoethyl ether)-n,n'-tetraacetic acid and verapamil (Kitai et al.), 705
Initiation of angiogenesis by porcine follicular fluid (Fredrick et al.), 1073
Microvasculature of preovulatory follicles: comparison of in situ and in vitro perfused rabbit ovaries following stimulation of ovulation (Kitai et al.), 889
Origin of immature teratoma of ovary (Ohama et al.), 896
Renal vein thrombosis following puerperal ovarian vein thrombophlebitis (Bahnsen, Wendel, and Vogelzang), 290

Ovulation

- Examination of role of calcium in ovulation in in vitro perfused rabbit ovary with use of ethyleneglycol-bis(β -aminoethyl ether)-n,n'-tetraacetic acid and verapamil (Kitai et al.), 705
Microvasculature of preovulatory follicles: comparison of in situ and in vitro perfused rabbit ovaries following stimulation of ovulation (Kitai et al.), 889

Oxygen

- Effects of maternal oxygen administration on fetal oxygenation during reductions in umbilical blood flow in fetal lambs (Edelstone, Peticca, and Goldblum), 351
Uterine and whole body oxygen extractions in pregnant rabbit under chronic steady-state conditions (Murray et al.), 709

P

Pacific Coast Obstetrical and Gynecological Society

- Transactions, fifty-first annual meeting, 369-493

Pancreas

- Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolectomy (Duff and Greene), 80

Pathogenesis

- Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis (Sobel), 924

Pathology

- HELLP syndrome: pathologic entity or technical inadequacy (Greer, Cameron, and Walker), 113 (Letter)
Strict clinicopathologic criteria in diagnosis of partial hydatidiform mole: plea renewed (Szulman and Surti), 1107 (Letter); Reply (Teng and Ballon), 1108

Patient compliance

- Problem of patient compliance (Robertson), 948

Pelvic prolapse

Genital tuberculosis in elderly woman with primary symptoms of pelvic prolapse: case report (Montz and diZerega), 42

Pemphigoid

Cicatricial pemphigoid of vulva (Ridley), 916 (Letter); Reply (Stage), 916

Pena-Shokeir syndrome

Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Penicillin

High failure rates in outpatient treatment of salpingitis with either tetracycline alone or penicillin/ampicillin combination (Thompson et al.), 635

Peptides, opioid

Neuroendocrinology of opioid peptides and their role in control of gonadotropin and prolactin secretion (Yen et al.), 485 (Current Development)

Pericardium

Fetal pericardial fluid (Yagel and Hurwitz), 721 (Letter)

Perinatal period

Importance of primary diagnosis in perinatal death (Davies and Arroyo), 17

Maternal and perinatal outcome of conservative management of severe preeclampsia in midtrimester (Sibai et al.), 32

Relationship between perinatal hypoxia and newborn encephalopathy (Low et al.), 256

Survival of very low-birth weight infants by level of hospital of birth: population study of perinatal systems in four states (Gortmaker et al.), 517

Peritoneum

Intraperitoneal chemotherapy for advanced ovarian cancer (Lucas, Markman, and Howell), 474

Intraperitoneal immunotherapy of epithelial ovarian carcinoma with *Corynebacterium parvum* (Berek et al.), 1003

Is intraperitoneal dextran 70 safe for routine gynecologic use (Magyar et al.), 198

Peritoneal fluid 6-keto prostaglandin $F_{1\alpha}$ levels in women with endometriosis (Mudge et al.), 901

Pharmacodynamics

Evaluation of pharmacodynamics and pharmacokinetics of ritodrine when administered as loading dose (Caritis, Lin, and Wong), 1026

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17 β -estradiol: comparison with conventional oral estrogens used for hormone replacement (Powers et al.), 1099

Pharmacokinetics

Evaluation of pharmacodynamics and pharmacokinetics of ritodrine when administered as loading dose (Caritis, Lin, and Wong), 1026

Pharmacokinetic fundamentals of vaginal treatment with clotrimazole (Ritter), 945

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17 β -estradiol: comparison with conventional oral estrogens used for hormone replacement (Powers et al.), 1099

Phospholipids

Phospholipid analyses in amniotic fluid contaminated by seminal ejaculate (Sheriff), 112 (Letter); Reply (Romem and Golde), 112

Physicians

Effect of training in microsurgery (Oelsner et al.), 1054

Practice patterns and attitudes toward education among Canadian obstetricians and gynecologists (Mohide and Maudsley), 989

Placenta

Changes in distribution of fibronectin in placenta during normal human pregnancy (Yamaguchi et al.), 715

Dickinson's sign: focal uterine softening in early pregnancy and its correlation with placental site (Munsick), 799 (Clinical Opinion)

Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155

Histomorphometry of human placenta in maternal preeclampsia (Teasdale), 25

Morphologic characteristics of placenta in glycogen storage disease type II (α -1,4-glucosidase deficiency) (Bendon and Hug), 1021

Noninvasive prediction of hyaline membrane disease: optimized classification of sonographic placental maturation (Kazzi et al.), 213

Preeclampsia: imbalance in placental prostacyclin and thromboxane production (Walsh), 335

Role of transferrin and ferritin in fetal-maternal-placental unit (Okuyama et al.), 344

Placental lactogen, human

Eutopic and ectopic macromolecular human placental lactogen (Calvert et al.), 103

Plasma

Effect of treatment with sodium valproate on plasma adrenocorticotrophic hormone and cortisol concentrations in pregnancy (Hatjis et al.), 315

Plasma dextran levels after abdominal instillation of 32% dextran 70: evidence for prolonged intraperitoneal retention (Cleary, Howard, and diZerega), 78

Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus isoimmunization (Nicolaidis, Warenski, and Rodeck), 341

Total sulfhydryl compounds in human seminal plasma (Sheriff), 725 (Letter)

Platelets

Platelets and uric acid in prediction of preeclampsia (Fay et al.), 1038

Polarization, fluorescence

Fluorescence polarization values of amniotic fluid collected from vagina after rupture of membranes (Schneider et al.), 572

Polyhydramnios

Polyhydramnios and obstructive renal failure: case report and review of literature (Vintzileos et al.), 883

Postmenopause

Double-blind comparative study of Estraderm and Premarin in amelioration of postmenopausal symptoms (Place et al.), 1092

Efficacy, acceptability, and metabolic effects of transdermal estradiol in management of postmenopausal women (Padwick, Endacott, and Whitehead), 1085

Endometrial responses to transdermal estradiol in postmenopausal women (Whitehead et al.), 1079

Mumps and postmenopausal ovarian cancer (Schiffman et al.), 116 (Letter); Reply (Cramer), 117

Symposium on treatment of postmenopausal women with transdermal delivery of estradiol, 1079-106

Thiazide diuretics and bone mineral content in postmenopausal women (Adland-Davenport et al.), 630

Postpartum period

Antenatal therapy with corticosteroids and postpartum complications (Curet et al.), 82

Preeclampsia-eclampsia

Eclampsia. IV. Neurological findings and future outcome (Sibai et al.), 184

Hemodynamic observations in severe preeclampsia complicated by pulmonary edema (Benedetti, Kates, and Williams), 330

Histomorphometry of human placenta in maternal preeclampsia (Teasdale), 25

Immune complexes in preeclampsia and normal pregnancy (Massobrio et al.), 578

Maternal and perinatal outcome of conservative management of severe preeclampsia in midtrimester (Sibai et al.), 32

Platelets and uric acid in prediction of preeclampsia (Fay et al.), 1038

Preeclampsia: imbalance in placental prostacyclin and thromboxane production (Walsh), 335

Sonographic findings in severe preeclampsia twenty-four hours prior to clinical signs (Benacerraf, Frigoletto, and Martini), 684

Tocolysis of eclampsia-associated uterine hypertonus (Kells), 608 (Letter); Reply (Barrett), 608

Pregnancy

Abdominal pregnancy: study of twenty-one consecutive cases (Hallatt and Grove), 444

Advanced maternal age: mature gravida (Kirz, Dorchester, and Freeman), 7

Antenatal therapy with corticosteroids and postpartum complications (Curet et al.), 82

Arteriovenous malformation in pregnancy: case report and review of literature (Elliott et al.), 85

Assessing risks of midtrimester amniocentesis (Porreco), 917 (Letter); Reply (Crane and Kopta), 917

Asymptomatic parturient women with high-virulence bacteria in amniotic fluid (Gibbs et al.), 650

Cesarean section deliveries among adolescent mothers enrolled in comprehensive prenatal care program (Leppert, Namerow, and Horowitz), 623

Changes in distribution of fibronectin in placenta during normal human pregnancy (Yamaguchi et al.), 715

Conservative surgery for management of second-trimester cervical pregnancy (Tymanidis), 721 (Letter); Reply (ten Kate-Booij and Wallenburg), 721

Dickinson's sign: focal uterine softening in early pregnancy and its correlation with placental site (Munsick), 799 (Clinical Opinion)

Disposition of ethanol in maternal blood, fetal blood, and amniotic fluid of third-trimester pregnant ewes (Brien et al.), 583

Doubling times of human chorionic gonadotropin increase in early viable intrauterine pregnancies (Pittaway, Reish, and Wentz), 299

Effect of isoproterenol on uterine blood flow and cardiac output distribution in pregnant guinea pigs (van de Walle and Martin), 1058

Effect of oral ritodrine therapy on glucose tolerance in pregnancy (Main et al.), 1031

Effect of treatment with sodium valproate on plasma adrenocorticotrophic hormone and cortisol concentrations in pregnancy (Hatjis et al.), 315

Effects of α - and β -adrenergic stimulation on contractility and prostaglandin (prostaglandins E_2 and $F_{2\alpha}$ and 6-keto-

prostaglandin $F_{1\alpha}$) production of pregnant human myometrial strips (Quaas and Azhradnik), 852

Elevated static pressure and pregnancy well-being (Goodlin et al.), 462

Erythrocyte filterability and fetal development in normal pregnancy (Kaibara, Marumoto, and Kobayashi), 719

Evaluation of use of continuous lumbar epidural anesthesia for hypertensive pregnant women in labor (Moore et al.), 404

Exercise dynamics in late gestation: effects of physical training (Morton et al.), 91

Fetal echocardiography. V. M-mode measurements of aortic root and aortic valve in second- and third-trimester normal human fetuses (DeVore, Siassi, and Platt), 543

Fetal heart rate accelerations and fetal movements in twin pregnancies (Ohel et al.), 686

Gestational diabetes and birth trauma (Hunter and Milner), 918 (Letter); Reply (Coustau), 919

Goiter in pregnant teenagers (Long, Felice, and Hollingsworth), 670

Histomorphometry of human placenta in maternal preeclampsia (Teasdale), 25

Human myometrial adrenergic receptors during pregnancy: identification of α -adrenergic receptor by [3H] dihydroergocryptine binding (Jacobs, Hayashida, and Roberts), 680

Immune complexes in preeclampsia and normal pregnancy (Massobrio et al.), 578

Incisions of pregnant uterus and delivery of low-birth weight infants (Jovanovic), 971 (Clinical Opinion)

Intraligamentary pregnancy resulting in live infant (Vierhout and Wallenburg), 878

Maternal heart rate in pregnancy (Clapp), 659

Maternal and perinatal outcome of conservative management of severe preeclampsia in midtrimester (Sibai et al.), 32

Maternal serum α -fetoprotein screening: effect of participation on anxiety and attitude toward pregnancy in women with normal results (Burton, Dillard, and Clark), 540

Maternal serum α -fetoprotein in twin pregnancies complicated by neural tube defect (Redford and Whitfield), 550

Maternal virilization in pregnancy due to unclassified sex-cord stromal neoplasm (Quagliarello and Blaustein), 570

Maternal weight and pregnancy complications (Garbacia et al.), 238

Metabolism and disposition of ritodrine in pregnant baboon (Borrisud et al.), 1067

Natural killer cell activity during pregnancy (Labarrere), 359 (Letter); Reply (Okamura), 360

Neurofibromatosis: cause or coincidence of pregnancy complications (Davies), 914 (Letter); Reply (Ferguson, Belton, and Catanzarite), 914

Predictive value, sensitivity, and specificity of ultrasonic targeted imaging for fetal anomalies in gravid women at high risk for birth defects (Sabbagha et al.), 822

Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolism (Duff and Greene), 80

Premature rupture of membranes at term (Spinnato), 609 (Letter); Reply (Prendiville and Conway), 610

Prevalence of type-specific group B streptococcal antibody in human sera: study of 405 pregnant women (Skidmore, Henry, and Smith), 857

- Risk factors for complete molar pregnancy from case-control study** (Berkowitz et al.), 1016
- Significance of meconium in midtrimester genetic amniocentesis** (Allen), 413
- Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting** (Nisell et al.), 554
- Tocolysis of eclampsia-associated uterine hypertonus** (Kells), 608 (Letter); Reply (Barrett), 608
- Twin pregnancy with intrauterine death of one twin** (Enbom), 424
- Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients** (Bracero et al.), 43
- Uterine and whole body oxygen extractions in pregnant rabbit under chronic steady-state conditions** (Murray et al.), 709
- Vascular reactivity in hind limb of pregnant ewe** (McLaughlin, Quinn, and Farnham), 593
- Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations** (Laitinen et al.), 561
- Premarin**
Double-blind comparative study of Estraderm and Premarin in amelioration of postmenopausal symptoms (Place et al.), 1092
- Prematurity**
Low birth weight, intrauterine growth retardation, and preterm delivery (Goldenberg et al.), 980
- Premenopause**
Effects of low-dose oral contraceptives on coagulation and fibrinolysis in two high-risk populations: young female smokers and older premenopausal women (Notelovitz et al.), 995
- Premenstrual syndrome**
Hormone levels and premenstrual syndrome (Martin), 361 (Letter); Reply (Faratian, O'Brien, and Filshie), 362
- Prenatal diagnosis**
Amniotic band syndrome: antenatal sonographic diagnosis and potential pitfalls (Mahony et al.), 63
Analysis of 2136 genetic amniocenteses: experience of single physician (Hanson et al.), 436
Assessing risks of midtrimester amniocentesis (Porreco), 917 (Letter); Reply (Crane and Kopta), 917
Chorionic villus sampling for first-trimester prenatal diagnosis: Northwestern University Program (Elias et al.), 204
First-trimester ultrasonographic diagnosis of conjoined twins (Maggio et al.), 833
Predictive value, sensitivity, and specificity of ultrasonic targeted imaging for fetal anomalies in gravid women at high risk for birth defects (Sabbagha et al.), 822
Prenatal screening for hemoglobinopathies (Smith), 604 (Letter); Reply (Stein and Dettler), 604
Significance of meconium in midtrimester genetic amniocentesis (Allen), 413
Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations (Laitinen et al.), 561
- Presidential address**
"Is That All There Is?" (Vander Kolk), 139
The changing scene (Rust), 369
- Pressure, intrauterine**
Direct-vision sampling of chorionic villi during extra-amniotic instillation of physiologic saline solution: effect on intrauterine pressure and fetal heart activity (Löfberg et al.), 591
- Pressure, static**
Elevated static pressure and pregnancy well-being (Goodlin et al.), 462
- Prolactin**
Neuroendocrinology of opioid peptides and their role in control of gonadotropin and prolactin secretion (Yen et al.), 485 (Current Development)
- Prostacyclin**
Preeclampsia: imbalance in placental prostacyclin and thromboxane production (Walsh), 335
Prostacyclin and thromboxane in gynecology and obstetrics (Ylikorkala and Mäkilä), 318 (Current Development)
- Prostaglandins**
Effects of α - and β -adrenergic stimulation on contractility and prostaglandin (prostaglandins E_2 and $F_{2\alpha}$ and 6-keto-prostaglandin $F_{1\alpha}$) production of pregnant human myometrial strips (Quaas and Azhadrnik), 852
Morphologic characteristics of cervical ripening induced by hormones relaxin and prostaglandin $F_{2\alpha}$ in rabbit model (MacLennan, Katz, and Creasy), 691
Peritoneal fluid 6-keto prostaglandin $F_{1\alpha}$ levels in women with endometriosis (Mudge et al.), 901
Uterine rupture and labor induction with prostaglandin (Thiery), 914 (Letter)
- Protein**
Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus isoimmunization (Nicolaidis, Warenski, and Rodeck), 341
- Puberty**
Arrested puberty associated with Sertoli-Leydig cell tumor (Kelly, Feinman, and Husami), 308
- Puerperium**
Aminoglycoside dosing in obese puerperal women (Gibbs, Blanco, and Lipscomb), 89
Renal vein thrombosis following puerperal ovarian vein thrombophlebitis (Bahnsen, Wendel, and Vogelzang), 290
- R
- Radiocontrast material**
Water-soluble radiocontrast material in treatment of post-operative ileus (Watkins and Robertson), 450
- Radiography**
Water-soluble radiocontrast material in treatment of post-operative ileus (Watkins and Robertson), 450
- Radioimmunoassay**
Study of NB/70K and CA 125 monoclonal antibody radioimmunoassays for measuring serum antigen levels in ovarian cancer patients (Knauf et al.), 911 (Current Investigation)
- Receptors**
Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhörning), 1063
Human myometrial adrenergic receptors during pregnancy: identification of α -adrenergic receptor by [3H] dihydroergocryptine binding (Jacobs, Hayashida, and Roberts), 680
- Relaxin**
Morphologic characteristics of cervical ripening induced by hormones relaxin and prostaglandin $F_{2\alpha}$ in rabbit model (MacLennan, Katz, and Creasy), 691
- Reproduction**
Age extremes for reproduction: current implications for policy change (Davidson and Fukushima), 467
Reproductive patterns and risk of gestational trophoblastic disease (Parazzini et al.), 864

Retractor, Deaver

Use of Deaver retractor for exteriorization of ovarian cysts at laparotomy (Menczer), 885

Rh disease

Relationship of fetal plasma protein concentration and hemoglobin level to development of hydrops in rhesus isoimmunization (Nicolaidis, Warenski, and Rodeck), 341

Ritodrine

Effect of oral ritodrine therapy on glucose tolerance in pregnancy (Main et al.), 1031

Evaluation of pharmacodynamics and pharmacokinetics of ritodrine when administered as loading dose (Caritis, Lin, and Wong), 1026

Metabolism and disposition of ritodrine in pregnant baboon (Borrisud et al.), 1067

S

Saline solution

Direct-vision sampling of chorionic villi during extra-amniotic instillation of physiologic saline solution: effect on intrauterine pressure and fetal heart activity (Löfberg et al.), 591

Salpingitis

High failure rates in outpatient treatment of salpingitis with either tetracycline alone or penicillin/ampicillin combination (Thompson et al.), 635

Immunoperoxidase localization of chlamydial antigens in acute salpingitis (Winkler et al.), 275

Screening

Maternal serum α -fetoprotein screening: effect of participation on anxiety and attitude toward pregnancy in women with normal results (Burton, Dillard, and Clark), 540

Prenatal screening for hemoglobinopathies (Smith), 604 (Letter); Reply (Stein and Deter), 604

Second-look procedures

Second-look laparotomy after chemotherapy in management of ovarian malignancy (Smirz et al.), 661

Second-look laparotomy in ovarian cancer: evaluation of pathologic variables (Podratz et al.), 230

Semen

Phospholipid analyses in amniotic fluid contaminated by seminal ejaculate (Sheriff), 112 (Letter); Reply (Romem and Golde), 112

Total sulfhydryl compounds in human seminal plasma (Sheriff), 725 (Letter)

Sertoli-Leydig cell

Arrested puberty associated with Sertoli-Leydig cell tumor (Kelly, Feinman, and Husami), 308

Serum

Maternal serum α -fetoprotein screening: effect of participation on anxiety and attitude toward pregnancy in women with normal results (Burton, Dillard, and Clark), 540

Maternal serum α -fetoprotein in twin pregnancies uncomplicated by neural tube defect (Redford and Whitfield), 550

Prevalence of type-specific group B streptococcal antibody in human sera: study of 405 pregnant women (Skidmore, Henry, and Smith), 857

Study of NB/70K and CA 125 monoclonal antibody radioimmunoassays for measuring serum antigen levels in ovarian cancer patients (Knauf et al.), 911 (Current Investigation)

Vitamin E concentrations in serum of newborn infants after topical use of vitamin E by nursing mothers (Marx et al.), 668

Smoking

Effects of low-dose oral contraceptives on coagulation and fibrinolysis in two high-risk populations: young female smokers and older premenopausal women (Notelovitz et al.), 995

Sterilization

Interval tubal sterilization in obese women—assessment of risks (Chi and Wilkens), 292

Long-term risk of menstrual disturbances after tubal sterilization (DeStefano et al.), 835

Safety of abortion and tubal sterilization performed separately versus concurrently (Akhter, Flock, and Rubin), 619

Sterilization failures and their causes (Soderstrom), 395

Stillbirths

Weight-specific stillbirths and associated causes of death: analysis of 765 stillbirths (Morrison and Olsen), 975

Streptococcus

Prevalence of type-specific group B streptococcal antibody in human sera: study of 405 pregnant women (Skidmore, Henry, and Smith), 857

Stroma

Maternal virilization in pregnancy due to unclassified sex-cord stromal neoplasm (Quagliarello and Blaustein), 570

Sulfhydryl

Total sulfhydryl compounds in human seminal plasma (Sheriff), 725 (Letter)

Supplements

International symposium on vulvovaginal mycoses, 921

Oral contraceptives and cardiovascular disease: critique of epidemiologic studies (Realini and Goldzieher), 729

Surfactant

Glucocorticoids and β -adrenergic-receptor agonists: their combined effect on fetal rabbit lung surfactant (Ekelund and Enhörning), 1063

Theoretical effects of amniotic fluid volume changes on surfactant concentration measurements (Nelson and Nelson), 870

Surgical procedures

Conservative surgery for management of second-trimester cervical pregnancy (Tymanidis), 721 (Letter); Reply (ten Kate-Booij and Wallenburg), 721

Palliative exenteration—what, when, and why (Stanhope and Symmonds), 12

Pregnancy complicated by solid-papillary epithelial tumor of pancreas, pulmonary embolism, and pulmonary embolism (Duff and Greene), 80

Second-look laparotomy after chemotherapy in management of ovarian malignancy (Smirz et al.), 661

Second-look laparotomy in ovarian cancer: evaluation of pathologic variables (Podratz et al.), 230

Superficial laser vulvectomy. I. Anatomic and biophysical principles permitting accurate control over depth of dermal destruction with carbon dioxide laser (Reid et al.), 261

Superficial laser vulvectomy. III. New surgical technique for appendage-conserving ablation of refractory condylomas and vulvar intraepithelial neoplasia (Reid), 504

Surgical problems in management of giant fibroadenoma of breast (Davis and Patel), 1010

Use of Deaver retractor for exteriorization of ovarian cysts at laparotomy (Menczer), 885

Sympathetic nervous system

Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting (Nissell et al.), 554

 β -Sympathomimetics

Continuous long-term intravenous β -sympathomimetic tocolysis (Hill et al.), 271

Symposia

Symposium on treatment of postmenopausal women with transdermal delivery of estradiol, 1079-106

Syndrome

Amniotic band syndrome: antenatal sonographic diagnosis and potential pitfalls (Mahony et al.), 63

Hormone levels and premenstrual syndrome (Martin), 361 (Letter); Reply (Faratian, O'Brien, and Filshie), 362

Severe hypoglycemia associated with HELLP syndrome (Egley, Gutlioph, and Bowes), 576

Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303

Syphilis

Diagnosis of congenital syphilis by immunofluorescence following fetal death in utero (Epstein and King), 689

T**Teenagers**

Goiter in pregnant teenagers (Long, Felice, and Hollingsworth), 670

Teratoma, ovarian

Origin of immature teratoma of ovary (Ohama et al.), 896

Tests

Diagnostic tests in obstetrics: method for improved evaluation (Richardson et al.), 613 (Clinical Opinion)

Management of bradycardia during nonstress tests (Yeast), 112 (Letter); Reply (Bourgeois), 113

Nonstress test as diagnostic test: critical reappraisal (Devoe, Castillo, and Sherline), 1047 (Current Development)

TORCH tests and what they mean (Sever), 495 (Clinical Opinion)

Tetracycline

High failure rates in outpatient treatment of salpingitis with either tetracycline alone or penicillin/ampicillin combination (Thompson et al.), 635

Thiazides

Thiazide diuretics and bone mineral content in postmenopausal women (Adland-Davenport et al.), 630

Thrombocytopenia

Unsuccessful treatment of fetal immunologic thrombocytopenia with dexamethasone (Yin and Scott), 316

Thrombophlebitis

Renal vein thrombosis following puerperal ovarian vein thrombophlebitis (Bahnon, Wendel, and Vogelzang), 290

Thrombosis

Renal vein thrombosis following puerperal ovarian vein thrombophlebitis (Bahnon, Wendel, and Vogelzang), 290

Thromboxane

Preeclampsia: imbalance in placental prostacyclin and thromboxane production (Walsh), 335

Prostacyclin and thromboxane in gynecology and obstetrics (Ylikorkala and Mäkilä), 318 (Current Development)

Tilting

Sympathoadrenal and cardiovascular reactivity in pregnancy-induced hypertension. II. Responses to tilting (Nissell et al.), 554

Tobramycin

Moxalactam versus clindamycin plus tobramycin in treatment of obstetric and gynecologic infections (Sweet et al.), 808

Tocolysis

Continuous long-term intravenous β -sympathomimetic tocolysis (Hill et al.) 271

Tocolysis of eclampsia-associated uterine hypertonus (Kells), 608 (Letter); Reply (Barrett), 608

Toe

Dorsiflexion of big toe—sign of impending fetal micturition (Meizner and Bar-Ziv), 722 (Letter)

TORCH tests

TORCH tests and what they mean (Sever), 495 (Clinical Opinion)

Torsion

Adnexal torsion (Hibbard), 456

Transactions

Pacific Coast Obstetrical and Gynecological Society, fifty-first annual meeting, 369-493

The Central Association of Obstetricians and Gynecologists, fifty-second annual meeting, 139-245

Transdermal delivery

Efficacy, acceptability, and metabolic effects of transdermal estradiol in management of postmenopausal women (Padwick, Endacott, and Whitehead), 1085

Endometrial responses to transdermal estradiol in postmenopausal women (Whitehead et al.), 1079

Pharmacokinetics and pharmacodynamics of transdermal dosage forms of 17 β -estradiol: comparison with conventional oral estrogens used for hormone replacement (Powers et al.), 1099

Symposium on treatment of postmenopausal women with transdermal delivery of estradiol, 1079-106

Transferrin

Role of transferrin and ferritin in fetal-maternal-placental unit (Okuyama et al.), 344

Transfusion

Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039

Trophoblastic disease

Methotrexate with citrovorum factor rescue in gestational trophoblastic disease (Wong, Choo, and Ma), 59

Reproductive patterns and risk of gestational trophoblastic disease (Parazzini et al.), 864

Tuberculosis, genital

Genital tuberculosis in elderly woman with primary symptoms of pelvic prolapse: case report (Montz and diZerega), 42

Twins

Fetal heart rate accelerations and fetal movements in twin pregnancies (Ohel et al.), 686

First-trimester ultrasonographic diagnosis of conjoined twins (Maggio et al.), 833

Maternal serum α -fetoprotein in twin pregnancies uncomplicated by neural tube defect (Redford and Whitfield), 550

Twin pregnancy with intrauterine death of one twin (Enbom), 424

U**Ultrasound**

Amniotic band syndrome: antenatal sonographic diagnosis and potential pitfalls (Mahony et al.), 63

- Comparison of sonographic estimation of fetal weight and obstetrically determined gestational age in prediction of neonatal outcome for very low-birth weight fetus (Chervenak et al.), 47
- Fetal echocardiography. V. M-mode measurements of aortic root and aortic valve in second- and third-trimester normal human fetuses (DeVore, Siassi, and Platt), 543
- First-trimester ultrasonographic diagnosis of conjoined twins (Maggio et al.), 833
- Noninvasive prediction of hyaline membrane disease: optimized classification of sonographic placental maturation (Kazzi et al.), 213
- Predictive value, sensitivity, and specificity of ultrasonic targeted imaging for fetal anomalies in gravid women at high risk for birth defects (Sabbagha et al.), 822
- Role of ultrasound in aggressive management of obstructed labor secondary to fetal malformations (Clark, DeVore, and Platt), 1042
- Sonographic appearance of ovarian thecoma (Woo and Ghosh), 361 (Letter)
- Sonographic findings in severe preeclampsia twenty-four hours prior to clinical signs (Benacerraf, Frigoletto, and Martini), 684
- Sonographic sign for detection of early fetal ascites in management of severe isoimmune disease without intrauterine transfusion (Benacerraf and Frigoletto), 1039
- Syndrome of camptodactyly, ankyloses, facial anomalies, and pulmonary hypoplasia (Pena-Shokeir syndrome): obstetric and ultrasound aspects (Shenker et al.), 303
- Ultrasound diagnosis of meconium-stained amniotic fluid (Wong, Loong, and Chang), 359 (Letter); Reply (Benacerraf, Gatter, and Ginsburgh), 359
- Use of ultrasound in antenatal diagnosis of large-for-gestational age infants in diabetic gravid patients (Bracero et al.), 43
- Value of postvoid scan during adnexal sonography (Hill and Breckle), 23
- Umbilical artery**
- Umbilical artery waveform (Spinnato), 915 (Letter); Reply (Fleischer), 916
- Umbilical cord**
- Cord blood glycosylated (glycated) hemoglobin: correlation with maternal glycosylated (glycated) hemoglobin and birth weight (Yatscoff, Mehta, and Dean), 861
- Effects of maternal oxygen administration on fetal oxygenation during reductions in umbilical blood flow in fetal lambs (Edelstone, Peticca, and Goldblum), 351
- Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155
- Percutaneous umbilical blood sampling (Hobbins et al.), 1 (Clinical Opinion)
- Urethra**
- Urethral isolation of genital mycoplasmas and *Chlamydia trachomatis* in women with chronic urologic complaints (Bump and Copeland), 38
- Uric acid**
- Platelets and uric acid in prediction of preeclampsia (Fay et al.), 1038
- Urinary tract**
- Urethral isolation of genital mycoplasmas and *Chlamydia trachomatis* in women with chronic urologic complaints (Bump and Copeland), 38
- Uterus**
- Dickinson's sign: focal uterine softening in early pregnancy and its correlation with placental site (Munsick), 799 (Clinical Opinion)
- Effect of isoproterenol on uterine blood flow and cardiac output distribution in pregnant guinea pigs (van de Walle and Martin), 1058
- Flow velocity waveforms in maternal uteroplacental and fetal umbilical placental circulations (Trudinger, Giles, and Cook), 155
- Incisions of pregnant uterus and delivery of low-birth weight infants (Jovanovic), 971 (Clinical Opinion)
- Luteinizing hormone-releasing hormone agonist and uterine leiomyoma: pilot study (Maheux et al.), 1034
- Partial association of uterine contractions with changes in electrocortical activity, breathing, and PaO_2 in fetal lamb: effects of brain stem section (Hofmeyr et al.), 905
- Tocolysis of eclampsia-associated uterine hypertonus (Kells), 608 (Letter); Reply (Barrett), 608
- Uterine rupture and labor induction with prostaglandin (Thiery), 914 (Letter)
- Uterine and whole body oxygen extractions in pregnant rabbit under chronic steady-state conditions (Murray et al.), 709
- Vagina**
- Efficacy of single- versus multiple-dose clotrimazole therapy in management of vulvovaginal candidiasis (Lebherz, Guess, and Wolfson), 965
- Efficacy and tolerability of single-dose versus six-day treatment of candidal vulvovaginitis with vaginal tablets of clotrimazole (Loendersloot et al.), 953
- Epidemiology and pathogenesis of recurrent vulvovaginal candidiasis (Sobel), 924
- Fluorescence polarization values of amniotic fluid collected from vagina after rupture of membranes (Schneider et al.), 572
- International symposium on vulvovaginal mycoses, 921
- Is more than one application of antifungal necessary in treatment of acute vaginal candidiasis (Cohen), 961
- Pharmacokinetic fundamentals of vaginal treatment with clotrimazole (Ritter), 945
- Therapeutic results obtained in vaginal mycoses after single-dose treatment with 500 mg clotrimazole vaginal tablets (Fleury, Hughes, and Floyd), 968
- Treatment of recurrent vaginal candidiasis (Forssman and Milsom), 959
- Vaginitis**
- Importance of differential diagnosis in acute vaginitis (Sweet), 921
- Vaginitis (Friedrich), 247 (Clinical Opinion)
- Valproate, sodium**
- Effect of treatment with sodium valproate on plasma adrenocorticotrophic hormone and cortisol concentrations in pregnancy (Hatjis et al.), 315
- Vascular reactivity**
- Vascular reactivity in hind limb of pregnant ewe (McLaughlin, Quinn, and Farnham), 593
- Ventriculomegaly**
- Natural history of ventriculomegaly in fetus without obstructive hydrocephalus (Chervenak et al.), 574
- Verapamil**
- Examination of role of calcium in ovulation in in vitro perfused rabbit ovary with use of ethyleneglycol-bis(β -aminoethyl ether)-n,n'-tetraacetic acid and verapamil (Kitai et al.), 705

Virilization

Maternal virilization in pregnancy due to unclassified sex-cord stromal neoplasm (Quagliarello and Blaustein), 570

Vitamins

Vitamin E concentrations in serum of newborn infants after topical use of vitamin E by nursing mothers (Marx et al.), 668

Vulva

Cicatricial pemphigoid of vulva (Ridley), 916 (Letter); Reply (Stage), 916

Vulvar effects of toilet tissue observational routine in practice of natural family planning (Norris), 1108 (Letter)

Vulvar carcinoma

Lymphatic spread in carcinoma of vulva (Figge, Tamimi, and Greer), 387

Vulvar intraepithelial neoplasia

Superficial laser vulvectomy. III. New surgical technique for appendage-conserving ablation of refractory condylomas and vulvar intraepithelial neoplasia (Reid), 504

Vulvovaginitis

Efficacy and tolerability of single-dose versus six-day treatment of candidal vulvovaginitis with vaginal tablets of clotrimazole (Loendersloot et al.), 953

W**Weight**

Maternal weight and pregnancy complications (Garbacia et al.), 238

Z**Zavanelli maneuver**

Zavanelli maneuver: potentially revolutionary method for resolution of shoulder dystocia (Sandberg), 479

Zinc

Zinc and α -fetoprotein in amniotic fluid from early pregnancies with fetal malformations (Laitinen et al.), 561

